

**Title:** Targeted electric vehicle procurement incentives facilitate efficient abatement cost outcomes

**Authors:** Lucas Woodley<sup>1</sup>, Philip Rossetti<sup>2</sup>, and Ashley Nunes<sup>1,3,4</sup>

<sup>1</sup> Department of Economics  
Harvard College  
Cambridge, MA, 02139, USA

<sup>2</sup> R Street Institute  
Washington, DC 20005

<sup>3</sup> Breakthrough Institute  
Berkeley, CA 94704

<sup>4</sup> Center for Labor and a Just Economy  
Harvard Law School  
Cambridge, MA, 02138, USA

**Corresponding Author:** Ashley Nunes, [anunes@law.harvard.edu](mailto:anunes@law.harvard.edu)

**Abstract:** Electric vehicles (EVs) are one solution to creating a transportation system that is more energy efficient, fosters greater energy security, and is less polluting. Existing public policy reflects this sentiment. Over the last two decades, various government-sponsored policies have been adopted to stimulate EV sales. The most notable – and ubiquitous – of these are procurement incentives. However, the effectiveness of this policy as a pathway to emissions reductions depends on the cost-to-emissions advantage EVs offer over gasoline powered vehicles. Under what conditions is this advantage realized? Using publicly available data, we estimate the precursors – with foci on aggregate mileage and battery longevity - required for EVs to achieve an array of abatement cost thresholds. Our findings are fourfold. First, we illustrate that increased aggregate vehicle utilization – *ceteris paribus* – decreases implied abatement cost. Second, we find that, after accounting for battery replacements, requisite aggregate utilization for EV-incentive policies to achieve cost parity with alternatives can greatly exceed existing ownership trends, depending on the targeted abatement cost and vehicle ownership period. Third, we document that – owing to their sole emphasis on EV procurement rather than utilization – existing policy fails to accommodate these preconditions. Fourth, we demonstrate that electrical grid decarbonization may be insufficient to produce efficient abatement cost outcomes for EVs. Addressing these inefficiencies necessitates – we conclude – adopting procurement incentivize programs that reward utilization rather than acquisition alone. Doing so would also address long-standing distributional concerns surrounding such programs.

## 1.0 Introduction

Although private vehicle ownership facilitates improvements in economic mobility, negative externalities persist. Cars, vans, and sport utility vehicles produce – owing to their reliance on fossil fuel – nearly half of all transportation-related greenhouse gas emissions, making them significant contributors to climate change (1-3).

Electric vehicles (EVs) promise relief. These vehicles present numerous advantages over their fossil fuel-powered counterparts, the most notable being improved fuel economy, reduced reliance on fossil fuel, and zero tailpipe emissions (4). However widespread adoption of EVs is challenged, in part, by higher average up-front procurement costs. In 2020, the average starting price of an EV was \$61,889, compared to \$38,000 for fossil fuel powered vehicles (5,6). Many governments have responded to this challenge by offering EV procurement incentives. For example, the United States government provides tax credits – up to \$7,500 per vehicle – for qualified EV purchases (7). Similar programs are available in France, Germany, and Norway. Such programs aim to incentivize fleet turnover as a pathway towards reduced fossil fuel dependence and carbon emissions reduction.

How effective are these programs? EV procurement incentives offer the prospect of reduced carbon emissions via increased EV adoption. Such incentives may also represent an investment in future vehicle fleet electrification, fostering near-term EV demand that subsequently drives future economies of scale and technological advancements that improve EVs' long-run environmental prospects. However, the universal and long-term provision of these incentives is challenged by public resistance towards federal subsidies (8), limited capital, and projected growth of public debt (9,10). This is also reflected in existing government policy which limits the magnitude of subsidy availability via budgetary caps (11). Evidence also suggests that promoting future innovation is most efficiently achieved via supply-side – rather than demand-side – incentives (see Limitations for further discussion).

Given that good governance necessitates judicious disbursement of public funds, where EV procurement incentive policies are concerned, this entails not only that emission reductions be realized owing to such policies but also that emissions reductions be maximized per dollar spent. Our study – centered in a key auto market, the United States – examines this issue. First, we identify the preconditions necessary for EV subsidies to achieve economic efficiency. Second, we quantify the requisite magnitude of these subsidies. And third, we situate our findings within the context of outcomes produced by existing EV procurement incentive policy. Our efforts are judicious given the need to achieve meaningful reductions in carbon emissions using pathways that – given political and fiscal constraints – do not further exacerbate deficit spending concerns (12).

### *1.1 Economic Efficiency*

Realizing economic efficiency requires equating the emissions reduction per dollar spent from incentivizing EV procurement with those of alternative CO<sub>2</sub> emissions-abating policy options (i.e., government policies that aim to mitigate CO<sub>2</sub> emissions, ranging from vehicle procurement incentives to subsidized wind and solar electrical generation) (13). We emphasize this definition over one that strictly compares the total level of policies' emissions reductions under the assumption that policymakers – as evidenced by their actions - desire reducing the largest amount of carbon emissions in the short run. Owing to finite capital constraints, achieving this goal demands prioritizing policies that offer the cheapest emissions reductions per dollar spent.

Per-dollar emissions expenditure depends in large measure on two factors: first, the emissions benefit (estimated via cradle-to-grave lifecycle emissions analyses) realized by replacing existing vehicles, namely internal combustion engine vehicles (ICEVs) with EVs; and second, the cost differential between EVs and ICEVs. Greater emissions benefits – *ceteris paribus* – suggest more emissions are reduced for the same cost, thereby raising emissions reduced per dollar spent. Conversely, larger cost differences suggest more financial resources are needed to induce the same volume of emissions reduction, thereby lowering emissions reductions per dollar spent.

Given that EVs impose higher manufacturing emissions and upfront costs but lower fuel use emissions and operating costs (14,15), a key determinant of these differences is aggregate vehicle utilization. Existing work suggests EVs may offer an emissions advantage over ICEVs after approximately 13,500 miles (16) and become relatively cheaper to own after travelling approximately 65,000 miles (17). However, the former estimate fails to standardize across vehicle sizes, and existing literature largely overlooks the need for battery replacements, which levy large effects on both emissions and the total cost of ownership (TCO). Additionally, ambiguity persists over whether utilization parity between EVs and ICEVs is realized, persistence that impacts an EV's ability to deliver emissions and cost benefits over the status quo (18-25).

## *1.2 Our Study*

We account for these parameters in our study. Using publicly available data on vehicle costs, resale value, and manufacturing and fuel emissions, as well as newly developed models of battery longevity, we estimate the cost and emissions differences between mid-sized EVs and ICEVs under an array of utilization patterns. We subsequently identify the aggregate utilization thresholds required for EV incentives to achieve abatement cost parity with alternative policy options, leveraging existing economic literature that provides estimated abatement costs for a comprehensive list of policies as benchmarks (13). We further assess whether existing policy levers support these preconditions and explore – as appropriate – how public policy can be reshaped to maximize such support. By emphasizing abatement cost targets (i.e., the “price” of reducing each ton of CO<sub>2</sub> emissions), we demonstrate the requisite preconditions for EV-incentive policies to become economically efficient uses of government capital compared to alternatives. Additionally, we document the impact of future improvements to electricity grids on such preconditions, scrutinizing the possibility that achieving economically efficient emissions reductions may require vehicle utilization patterns that diverge significantly from those seen today (26-28).

This study is, to our knowledge, one of the first to estimate abatement costs based on TCO differences, rather than the social cost of carbon (4,22,29-32). This approach allows for cost-benefit analyses of policies that are aimed to make EVs financially competitive with ICEVs while remaining agnostic about the magnitude of carbon-based externalities (33). Considering TCO is also important as significant attention has – thus far – been placed on procurement price parity between EVs and ICEVs. However, consumers consider numerous factors when making vehicle procurement decisions. Although consideration of the totality of these factors is not the focus of our efforts (34-35), existing literature demonstrates that consumers consider total costs over purely upfront costs during purchasing decisions (36). Our work reflects this reality.

Additionally, whereas understanding consumers' heterogeneous motivations for EV procurement warrants scrutiny, we analyze whether – from the vantage point of public spending – EVs represent an economically efficient means of reducing CO<sub>2</sub> emissions. To the extent that EVs are designed primarily to reduce emissions (e.g., 37), the realization of this goal depends critically on economic efficiency. If reducing

emissions via EV adoption is a costlier approach to combating climate change than other alternatives, policies that incentivize EV procurement implicitly diminish potential emissions reductions. Put differently, to best mitigate future climate change, available capital must be utilized in the most efficient way, as defined – we argue – by the potential emissions reduction realized per dollar spent.

### *1.3 Novelty*

Our study differs from previous efforts in four ways.

First, contrary to many existing efforts, our study leverages both lifecycle emissions analyses and TCO models simultaneously to estimate EV abatement costs, a necessary metric for policymakers to compare the economic efficiency of policy alternatives (4,10,22,30-32,38-39). Such a concurrent analysis offers nuanced improvements over previous work. Specifically, previous efforts often separately examine either emissions or TCO profiles of EVs versus ICEVs and leverage inconsistent (and thus, incomparable) vehicle assumptions. In doing so, researchers effectively compare different sets of vehicles' emissions and financial profiles, which may produce unreliable estimates of per-dollar emissions benefits. Moreover, existing work jointly examining emissions and financial profiles excludes upfront vehicle costs (40), which can contribute the majority of EVs' and ICEVs' per-mile operating costs (41).

Our approach leverages models of both simultaneously using assumptions which facilitate an equivalent comparison of emissions benefit relative to cost differential (see Sections 2.1.1 and 2.2.1). By using consistent and comparable vehicle assumptions for both our emissions and TCO analyses, our work can – in contrast to many previous efforts – provide estimates of per-dollar emissions benefits for a representative EV. This allows for a more direct comparison of EV procurement incentives to alternative policy options and represents a distinct focus from our previous efforts which emphasize emissions advantage preconditions absent economic efficiency considerations (10).

Second, unlike previous work, we estimate the requisite annual and aggregate utilization required for EVs to realize efficient abatement cost targets compared to the per-dollar emissions reductions offered by alternative policies. This approach withdraws the need to estimate a travel demand model that accounts for consumer heterogeneity and instead allows for direct comparisons of individual households to requisite utilization thresholds.

Third, our study accounts for requisite battery replacements. Although nascent literature finds that newer EV batteries effectively retain battery capacity through 100,000 miles (42), this omits consideration of calendar aging, a dominant source of capacity fade (43). Leveraging capacity fade models based on real-world driving data and case studies (43), we estimate battery longevity as a function of annual mileage. Doing so accounts for both vehicle utilization (relevant for cycle aging) and the duration over which utilization occurs (relevant for calendar aging).

Fourth and finally, whereas existing literature often compares EVs to ICEVs of different sizes or driving ranges (e.g., 30), we standardize our vehicle selection for both parameters, thereby facilitating a more accurate comparison across powertrain types (see Supplementary Information, Section I for more details).

Our efforts can inform climate change mitigation and adaptation efforts, particularly in cities. Densely and permanently settled locations are key contributors to climate change, as urban areas produce roughly 78% of carbon emissions that adversely affect over 50% of the world's population living in them (44,45).

EV procurement incentive programs offer a pathway towards reducing these emissions. However, concerns persist over these programs' efficacy. Our results help address this concern by providing evidence-based guidance on the extent to which EV procurement programs represent a cost-effective approach to emissions reductions, compared to a one-size-fits-all approach. Finally, we emphasize this timeliness of our work as global urbanization trends are envisioned to continue, highlighting the need for resourceful carbon emissions reduction pathways (46).

## 2.0 Research Plan

Our study examines the viability of EV-incentive policies as an economically efficient means of reducing emissions. To do so, we first quantify the lifecycle emissions of EVs compared to ICEVs given varying annual and aggregate utilization thresholds and – as appropriate – battery replacement. We subsequently estimate – by manipulating battery replacement - the TCO differences realized between EVs and ICEVs. Finally, we assess the requisite preconditions for EV incentives to achieve abatement cost parity with alternative policy options based on existing cost estimates (13).

Our model leverages – where possible – publicly available data to inform our estimates (see Table 1). Concerns over the precise figures leveraged are addressed by applying sensitivity testing (see Uncertainty Considerations). Details of our approach, data that inform our model and vehicle selection, and references justifying their use are available in the supplementary information section (Supplementary Information, Section I). We center our analysis on the United States, a key auto market in terms of both auto sales volume and global transportation emissions<sup>1</sup>.

To clarify our model’s key parameters and terminology, emissions differences refer to CO<sub>2</sub> emissions differentials between ICEVs and EVs, measured on per-mile and total bases (expressed in g CO<sub>2</sub>e/mile and tCO<sub>2</sub>e/vehicle, respectively); TCO difference refers to the net present-day value differential between ICEVs and EVs (expressed in US dollars), considering ownership duration and aggregate utilization; abatement cost refers to the collective cost of reducing CO<sub>2</sub> emissions-related externalities borne by both the federal government and individual consumers; utilization refers to EV mileage (considered on annualized and aggregate bases); and battery longevity refers to how long an EV battery remains in service (expressed in miles).

### 2.1 Emissions Estimation

To estimate emissions differences between ICEVs and EVs, we focus our analysis on lifecycle emissions. We define EVs as vehicles solely powered by electricity obtained from the power-generating electric grid (estimated to generate 436 gCO<sub>2</sub>e/kWh (14)). Given the ubiquity of existing EV procurement incentives across the nation (though state-level incentives exist), to evaluate the efficacy and efficiency of existing EV incentive programs, we leverage national estimates of the US electric grid’s average emissions factor. The emissions profiles of EVs and ICEVs account for vehicle manufacturing, extraction, processing, and transportation, as well as fuel production, usage, and efficiency (10,14). Emissions from battery replacement – estimated using assumptions about battery architecture and chemistry, recharge strategies, and ambient temperatures (43) – are also considered for EVs. Consistent with existing literature and original equipment manufacturer (OEM) recommendations, we assume batteries reach their end of life at 20% capacity loss, as batteries may demonstrate unstable behavior and rapid declines in available capacity beyond this threshold (47-49). Leveraging historical and current procurement choice data, and in the interests of minimizing emissions confounds, we standardize for vehicle size by choosing

---

<sup>1</sup> Our efforts exclude consideration of the 2022 Inflation Reduction Act’s impact on EV procurement owing to ambiguity surrounding the legislation’s manufacturing, critical mineral, and component assembly requirements. We emphasize however that passage of the legislation does not impact the primary provision of the \$7,500 procurement incentive.

mid-sized vehicles with internal volumes between 110 – 120 ft<sup>3</sup> and assume usage of an 85-kWh battery to ensure comparable driving range to similarly-sized ICEVs (10,14,50-52).

Subject to these conditions, we estimate requisite aggregate utilization thresholds for EVs to achieve lifecycle emissions parity with ICEVs under four scenarios. In the first, we consider requisite aggregate utilization thresholds for an EV assuming the counterfactual ICEV travels 180,000 total miles over its lifespan (14), without accounting for necessary EV battery replacements. Next, we relax our initial assumption and calculate the requisite aggregate utilization threshold given equivalent ICEV/EV aggregate utilization, absent battery replacements. In our third scenario, we estimate requisite aggregate utilization thresholds assuming an ICEV's aggregate utilization is 180,000 miles while allowing for requisite battery replacements. Finally, we relax both assumptions simultaneously and present requisite aggregate utilization thresholds given parity in aggregate utilization between EVs and ICEVs while accounting for battery replacements<sup>2</sup>.

### 2.1.1 Emissions Estimation Equations

Leveraging existing methodology (10,14), we first estimate per-mile emissions, accounting for vehicle manufacturing emissions, fuel usage and production emissions, fuel efficiency, aggregate utilization, and energy per gallon of gasoline using Equation 1.0:

$$E_{PM} = \frac{((e_{vm} * 1,000,000) + e_{vd} + e_{mr})}{au} + \left( \frac{1}{FE} * \left( \frac{e_{fp}}{MJ_E} + \frac{e_{fu}}{MJ_E} \right) * EC_G \right) \quad (1.0)$$

where  $E_{PM}$  = emissions per mile (g CO<sub>2</sub>e/mi.);  $e_{vm}$  = vehicle manufacturing emissions (metric tons CO<sub>2</sub>e-equivalent (CO<sub>2</sub>e));  $e_{vd}$  = emissions from end-of-life vehicle disposal;  $e_{mr}$  = emissions from vehicle maintenance and repair;  $au$  = aggregate utilization (miles);  $FE$  = vehicle fuel efficiency (miles per gallon-equivalent (MPGe));  $\frac{e_{fp}}{MJ_E}$  = fuel production emissions (g CO<sub>2</sub>e per megajoule of energy);  $\frac{e_{fu}}{MJ_E}$  = fuel usage emissions (g CO<sub>2</sub>e per megajoule of energy); and  $EC_G$  = energy content of gasoline (lower heating value) (10,14). Vehicle maintenance and end-of-life disposal emissions are assumed to approximate zero for ICEVs and EVs owing to their relative insignificance (53).

After estimating EV and ICEV per-mile emissions, we subsequently calculate total emissions using Equation 2.0:

$$E_{PV} = \frac{au}{1,000,000} * E_{PM} \quad (2.0)$$

where  $E_{PV}$  = emissions per vehicle (tons CO<sub>2</sub>e);  $au$  = aggregate utilization (miles); and  $E_{PM}$  = per-mile emissions (g CO<sub>2</sub>e/mi.), calculated using Equation 1.0 (10).

After estimating lifecycle emissions using Equations 1.0 and 2.0, we estimate the emissions benefit realized by purchasing an EV as a function of aggregate utilization. Initially, we do not account for battery replacements and assume the counterfactual ICEV travels a total of 180,000 miles (14). To

---

<sup>2</sup> This approach assumes EVs and ICEVs are purchased and operated as primary, rather than secondary, vehicles; a reflection of envisioned improvements in battery capacity and by consequence range, which may produce procurement patterns that differ from those observed today (10).



estimate the requisite aggregate utilization threshold for EVs to achieve equivalent per-mile emissions, we use the following equation:

$$ED = PME_{ICEV,c} - PME_{EV,t} \quad (3.0)$$

where  $ED$  = EV-versus-ICEV emissions difference (g CO<sub>2</sub>e/mi.);  $PME_{ICEV,c}$  = ICEV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $c$  miles travelled, calculated using Equation 1.0, where  $c$  is held constant at 180,000; and  $PME_{EV,t}$  = EV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $t$  miles travelled, calculated using Equation 1.0. We define our requisite aggregate utilization threshold where  $ED = 0$ .

We then redefine Equation 3.0 to assume aggregate utilization parity between EVs and ICEVs, which produces Equation 3.1:

$$ED = PME_{ICEV,t} - PME_{EV,t} \quad (3.1)$$

where  $ED$  = EV-versus-ICEV emissions difference (g CO<sub>2</sub>e/mi.);  $PME_{ICEV,t}$  = ICEV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $t$  miles travelled, calculated using Equation 1.0; and  $PME_{EV,t}$  = EV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $t$  miles travelled, calculated using Equation 1.0.

To account for battery replacements, we leverage previous work (43) to estimate battery longevity as a function of annual utilization (see Supplementary Information, Section I). Based on our model of battery longevity, we adjust Equation 1.0 to account for lifecycle emissions from necessary EV battery replacements:

$$E_{PM} = \frac{((e_{vm} * 1,000,000) + e_{vd} + e_{mr})}{au} + \left( \frac{1}{FE} * \left( \frac{e_{fp}}{MJ_E} + \frac{e_{fu}}{MJ_E} \right) * EC_G \right) + \left( \left[ \frac{au}{BatLife\left(\frac{AnnVMT}{12}\right)} - 1 \right] * BatSize * Bat_e * 1,000 \right) \quad (1.1)$$

where  $E_{PM}$  = emissions per mile (g CO<sub>2</sub>e/mi.);  $e_{vm}$  = vehicle manufacturing emissions (metric tons CO<sub>2</sub>-equivalent (CO<sub>2</sub>e));  $e_{vd}$  = emissions from end-of-life vehicle disposal;  $e_{mr}$  = emissions from vehicle maintenance and repair;  $au$  = aggregate utilization (miles);  $FE$  = vehicle fuel efficiency (miles per gallon-equivalent (MPGe));  $\frac{e_{fp}}{MJ_E}$  = fuel production emissions (g CO<sub>2</sub>e per megajoule of energy);  $\frac{e_{fu}}{MJ_E}$  = fuel usage emissions (g CO<sub>2</sub>e per megajoule of energy);  $EC_G$  = energy content of gasoline (lower heating value);  $BatLife\left(\frac{AnnVMT}{12}\right)$  = battery lifespan (miles) as a function of annual utilization;  $BatSize$  = EV battery size (kWh); and  $Bat_e$  = emissions from battery replacement (kg CO<sub>2</sub>e/kWh).

Using Equations 1.1 and 3.0, we re-estimate EVs' requisite aggregate utilization threshold to achieve per-mile emissions parity with an ICEV travelling 180,000 over its lifetime, accounting for necessary battery replacements. We subsequently reassess the requisite utilization threshold assuming aggregate utilization parity between EVs and ICEVs using Equations 1.1, 2.0, and 3.1 to achieve per-mile and total emissions parity.

Finally, to estimate the sensitivity of our emissions results in response to independent changes to each parameter, we show the effect of a 1%, 5%, and 10% change using the following equation:

$$\Delta ED_t = \frac{ED_t(p_1) - ED_t(p_0)}{ED_t(p_0)} \quad (4.0)$$

where  $\Delta ED_t$  = % change in emissions difference with  $t$  miles travelled;  $ED_t(p_0)$  = total emissions difference given the initial value of parameter  $p$ , calculated using Equations 1.1, 2.0, and 3.1; and  $ED_t(p_1)$  = total emissions difference given the adjusted value of parameter  $p$ , calculated using Equations 1.1, 2.0, and 3.1.

## 2.2 Financial Estimation

Expenditures considered when estimating TCO include vehicle purchase price (MSRP), sales tax, title fees, annual taxes and fees, maintenance, repair, and insurance costs, average fuel price, fuel efficiency, discount rates, and resale value (14, 54-55). For EVs specifically, we also take account of potential battery replacement costs. ICEV and EV financial profiles also consider an array of aggregate and annual utilization rates and ownership durations. Given existing uncertainties over whether EVs achieve similar mileage to equivalent ICEVs (18,19), aggregate and annual utilization warrant attention. Similarly, ownership duration accounts for the period over which a vehicle is used—an important consideration given that resale value and, for EVs, battery longevity are both partial functions of time (55-57).

To begin, we present TCO differences between EVs and ICEVs given equivalent annual utilization, assuming utilization patterns representative of average ICEVs (17) for an array of ownership periods, with and without requisite battery replacements. Then, we assess how potential changes to financial parameters may impact EVs' ability to achieve TCO parity with ICEVs assuming average, equivalent annual utilization rates. We subsequently describe how increased annual utilization rates can facilitate potential reductions in EVs' TCO differential. Given that high aggregate utilization may result in a loss of resale value (58), we present estimates of requisite annual utilization rates with and without resale value consideration.

### 2.2.1 Financial Estimation Equations

Specifically, , we employ models derived in previous works (14,55) combined with our battery longevity estimates (Supplementary Information, Section I). We account for vehicle purchase price (MSRP), resale value, fuel efficiency, fuel price, maintenance costs, repair costs, insurance costs, annual taxes and fees, sales tax, title fees, and EV battery replacements in our analysis (see Equations 5.0 and 5.1).

$$TCO_{EV} = (MSRP_{EV} + (MSRP_{EV} * \frac{Tax}{100}) + TitleFee + \left( \sum_{k=1}^n \frac{((Elec\$ * \frac{AnnVMT}{MPK}) + AnnFees + AnnInsur_{EV} + (MR_{EV} * AnnVMT))}{(1 + DiscRate)^k} \right) - \frac{((MSRP_{EV}) * DepRate^n)}{(1 + DiscRate)^n} + \left( \left[ \frac{AnnVMT * n}{BatLife(\frac{AnnVMT}{12})} - 1 \right] * BatSize * BatCost \right) \quad (5.0)$$

where  $MSRP_{EV}$  = EV purchase price (\$); Tax = sales tax (%); TitleFee = vehicle title fee (\$); Elec\$ = average cost of electricity (\$/kWh); AnnVMT = annual vehicle utilization (mi./year); MPK = miles per kilowatt hour; AnnFees = annual taxes and fees including registration, license plate, and inspection fees (\$/year); AnnInsur<sub>EV</sub> = annual EV insurance costs (\$/year); MR<sub>EV</sub> = EV maintenance and repair costs (\$/mi.); DiscRate = annual discount rate; DepRate = remaining resale value (relative to the previous year);

BatLife( $\frac{AnnVMT}{12}$ ) = battery lifespan (miles) as a function of annual utilization; BatSize = EV battery size (kWh); BatCost = EV battery cost (\$/kWh); and  $n$  = ownership duration (years).

$$TCO_{ICEV} = (MSRP_{ICEV} + (MSRP_{ICEV} * \frac{Tax}{100})) + TitleFee + \left( \sum_{k=1}^n \frac{((Gas\$ * \frac{AnnVMT}{MPG}) + AnnFees + AnnInsur_{ICEV} + (MR_{ICEV} * AnnVMT))}{(1 + DiscRate)^k} \right) - \frac{(MSRP_{ICEV}) * DepRate^n}{(1 + DiscRate)^n} \quad (5.1)$$

where  $MSRP_{ICEV}$  = ICEV purchase price (\$); Tax = sales tax (%); TitleFee = vehicle title fee (\$); Gas\$ = average cost of gasoline (\$/gal.); AnnVMT = annual vehicle utilization (mi./year); MPG = miles per gallon; AnnFees = annual taxes and fees including registration, license plate, and inspection fees (\$/year); AnnInsur<sub>ICEV</sub> = annual ICEV insurance costs (\$/year); MR<sub>ICEV</sub> = ICEV maintenance and repair costs (\$/mi.); DiscRate = annual discount rate; DepRate = remaining resale value (relative to the previous year); and  $n$  = ownership duration (years).

After separately estimating EV and ICEV TCOs, we subsequently analyze the cost differential using Equation 6.0.

$$TCOD = TCO_{EV,t,n} - TCO_{ICEV,t,n} \quad (6.0)$$

where TCO<sub>D</sub> = EV-versus-ICEV TCO difference; TCO<sub>EV,t,n</sub> = EV TCO given  $t$  annual utilization and  $n$  years of ownership, calculated using Equation 5.0; and TCO<sub>ICEV,t,n</sub> = ICEV TCO given  $t$  annual utilization and  $n$  years of ownership, calculated using Equation 5.1.

To address the potential impact of slight variations in our TCO estimates, we also conduct sensitivity analysis for all key financial parameters (see Section 3.1 and 3.2). To do so, we use the following equation:

$$\Delta TCO_D = \frac{TCOD(m_1) - TCO_D(m_0)}{TCOD(m_0)} \quad (7.0)$$

where  $\Delta TCO_D$  = % change in EV-ICEV TCO difference;  $TCOD(p_0)$  = TCO difference given the initial value of parameter  $m$ , calculated using Equations 5.0, 5.1, and 6.0; and  $ED_t(p_1)$  = TCO difference given the new value of parameter  $m$ , calculated using Equations 5.0, 5.1, and 6.0.

### 2.3.1 Abatement Cost Estimation Equations

To calculate abatement cost in US dollars per ton of CO<sub>2</sub> emissions reduced – relative to the counterfactual wherein an equivalent ICEV is purchased and utilized in place of an EV – we first modify Equation 3.1 to estimate the total emissions benefit EVs offer relative to ICEVs and subsequently use Equation 8.0 to estimate abatement cost:

$$ED = PME_{ICEV,t} - PME_{EV,t} \quad (3.1)$$

$$ED_{Total} = (PME_{ICEV,t} - PME_{EV,t}) * \frac{au}{1,000,000} \quad (3.2)$$

where ED = per-mile emissions difference (g CO<sub>2</sub>e/mi.); PME<sub>ICEV,t</sub> = ICEV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $t$  miles travelled, calculated using Equation 1.0; PME<sub>EV,t</sub> = EV per-mile emissions (g

CO<sub>2</sub>e/mi.) given  $t$  miles travelled, calculated using Equation 1.0;  $au$  = aggregate utilization (miles); and  $ED_{Total}$  = total lifecycle emissions difference (tons CO<sub>2</sub>e);

$$AbateCost = \frac{TCOD}{ED_{Total}} \quad (8.0)$$

where  $AbateCost$  = abatement cost (\$/ton CO<sub>2</sub>e reduced);  $TCOD$  = TCO difference (EV TCO – ICEV TCO) (\$), estimated using Equations 5.0, 5.1, and 6.0; and  $ED_{Total}$  = total lifecycle emissions difference (ICEV emissions – EV emissions) (ton CO<sub>2</sub>e), estimated using Equations 1.0 and 1.1.

We then calculate the requisite aggregate utilization thresholds to satisfy given abatement cost targets by setting  $AbateCost$  equal to our target abatement cost,  $c$ , and solving for aggregate utilization, holding constant all other parameters – except for, implicitly, annual utilization. For example, increasing aggregate utilization from 100,000 to 200,000 miles - holding ownership duration constant at 5 years - implicitly raises annual utilization from 20,000 to 40,000 miles/year. We then repeat this process for TCO differences, estimating the requisite aggregate utilization to achieve select total abatement costs.

To estimate the efficiency of current policy, we first assess the implied abatement cost of EV procurement under two key assumptions: (1) existing federal incentives (i.e., a \$7,500 tax credit) are equivalent to the TCO difference between EVs and ICEVs – in short, this assumes the current magnitude of available incentives is set to an efficient level; and (2) current incentives induce EV adoption among households representative of average utilization and ownership behaviors. We thus adjust Equation 8.0 accordingly:

$$AbateCost = \frac{TCOD}{ED_{Total}} \quad (8.0)$$

$$AbateCost = \frac{7,500}{ED_{Total}(au=c)} \quad (8.1)$$

where  $AbateCost$  = abatement cost (\$/ton CO<sub>2</sub>e reduced) and  $ED_{Total}$  = total lifecycle emissions difference (ICEV emissions – EV emissions) (ton CO<sub>2</sub>e), estimated using Equations 1.0 and 1.1, assuming an aggregate utilization of  $c$  miles, where  $c$  is between 41,000 and 75,000 miles (17-19,59).

Then, we relax our first assumption and instead estimate the associated abatement cost using our TCO model given average utilization and vehicle ownership trends (Equation 8.2). This enables a more accurate abatement cost estimate, as we now consider all costs realized owing to EV procurement.

$$AbateCost = \frac{TCOD(au=c)}{ED_{Total}(au=c)} \quad (8.2)$$

where  $AbateCost$  = abatement cost (\$/ton CO<sub>2</sub>e reduced);  $TCOD(au=c)$  = TCO difference (\$), estimated using Equations 5.0, 5.1, and 6.0, assuming an aggregate utilization of  $c$  miles; and  $ED_{Total}(au=c)$  = total lifecycle emissions difference (ICEV emissions – EV emissions) (ton CO<sub>2</sub>e), estimated using Equations 1.0 and 1.1, assuming an aggregate utilization of  $c$  miles. We again assume  $c$  to be between 41,000 and 75,000 miles based on existing public data (17-19,59).

Next, we estimate requisite emissions and TCO differences to achieve – given current policy and behavioral trends – abatement costs which are efficient compared to alternative policies, defined as an

abatement cost of approximately \$50/ton CO<sub>2</sub>e reduced (21). To do so, we leverage two approaches. First, we estimate the requisite aggregate utilization threshold to achieve a TCO difference of \$7,500 and subsequently use the following equation to calculate the requisite emissions benefit to achieve our abatement cost target:

$$ED_{Req} = \frac{TCO(au=c)}{AbateCostTarg} \quad (8.3)$$

where  $ED_{Req}$  = requisite EV emissions advantage (ton CO<sub>2</sub>e);  $TCO(au=c)$  = TCO difference (\$), estimated using Equations 5.0, 5.1, and 6.0, given an aggregate utilization of  $c$  miles, where  $c$  is chosen such that the resultant TCO difference equals \$7,500; and  $AbateCostTarg$  = abatement cost target (\$/ton CO<sub>2</sub>e reduced).

Using our abatement cost target of \$50/ton CO<sub>2</sub>e reduced, the requisite EV emissions advantage exceeds the total emissions produced by the ICEV travelling  $c$  miles (estimated using Equations 1.0 and 2.0, see Section 2.1.1). We subsequently estimate the maximum emissions benefit possible, assuming an EV without any lifecycle emissions, and use Equation 8.2 where  $ED_{Total}(au=c)$  is set to zero to estimate the most efficient possible abatement cost under this scenario (Section 3.3).

Additionally, we estimate the total EV emissions advantage given current vehicle utilization trends using Equation 3.2, where aggregate utilization is assumed to be 75,000 miles. We then use Equation 8.4 to calculate the requisite TCO differential for EV procurement policies to become economically efficient given the current estimated emissions EV advantage:

$$TCO_{Req} = ED_{Total}(au = 75,000) * AbateCostTarg \quad (8.4)$$

where  $TCO_{Req}$  = requisite TCO differential (\$);  $ED_{Total}(au=75,000)$  = total lifecycle emissions difference (ton CO<sub>2</sub>e), estimated using Equations 1.0 and 1.1, assuming an aggregate utilization of 75,000 miles; and  $AbateCostTarg$  = abatement cost target (\$/ton CO<sub>2</sub>e reduced).

To assess the feasibility of realizing our requisite TCO difference, we explore reductions in EVs' most elastic financial parameters (Supplementary Information, Section 2.1); namely, MSRP and annual insurance. Using Equations 5.0, 5.1, and 6.0, we calculate TCO differentials while manipulating annual insurance costs; however, even if EVs realized equivalent insurance costs as ICEVs, the associated TCO difference still exceeds the requisite threshold. Conversely, sufficient reductions in EV MSRP facilitate the necessary TCO difference (Section 3.3).

Finally, we quantify the impacts of potential changes to key aspects of our model on estimated abatement costs and requisite aggregate utilization thresholds. Specifically, we quantify the impacts of zero and one additional battery replacement, cleaner electricity grids, and greater ICEV fuel efficiency on our results. Our sensitivity analysis is presented in Tables 4 and 6.

#### 2.4 Uncertainty Considerations

Given challenges in predicting future technological improvements, uncertainty surrounding future improvements to EVs and ICEVs financial profiles warrants acknowledgement. Our model's assumptions and the resultant predictions are admittedly based on imperfect information. For example, there is little

publicly available data on future long-run electricity costs or resale values of alternative powertrains. Additionally, estimates of emissions benefits consider existing vehicles' emissions profiles and, for EVs, electricity grid carbon intensity and battery longevity. Our estimates may therefore over or underestimate the true long-run emissions advantage of EVs.

To address these concerns, we perform elasticity testing and sensitivity analyses on our input parameters for both emissions and TCO differences (see Tables 2, 4, 5, and 6 and Supplementary Information for more details). We also quantify the requisite aggregate utilization thresholds for EV-incentive policy to achieve an array of abatement cost targets assuming zero and one additional battery replacement, as well as if envisioned improvements to electricity grids and ICEV fuel efficiency are realized. In doing so, we estimate requisite aggregate utilization thresholds for an array of future scenarios, acknowledging that variations in our projections would demand a less or more stringent EV aggregate utilization profile (detailed in the supplementary information section).

Additionally, given homogeneity in federal EV procurement incentives (though separate state-level incentives also exist), we focus our analysis on national-level data, while acknowledging that in states with relatively cleaner electric grids and cheaper electricity prices, EVs may offer a more favorable abatement cost than in states with dirtier electric grids and costlier electricity. We subsequently account for this possibility in our analysis.

	<b>EV</b>	<b>ICEV</b>	<b>Emissions Analysis</b>	<b>TCO Analysis</b>	<b>Sensitivity Range (EV)</b>	<b>Sensitivity Range (ICEV)</b>
Fuel efficiency (MPGe)	114 <sup>a</sup>	34 <sup>a</sup>	Operating	–	114 - 125	34 - 48
Energy content of gasoline (kWh/gal.)	33.7 <sup>b</sup>	33.7 <sup>b</sup>	Operating	–	–	–
Fuel production emissions (gCO <sub>2</sub> e/MJ)	121 <sup>b</sup>	19 <sup>b</sup>	Operating	–	72.6 - 121	17 - 19
Fuel use emissions (gCO <sub>2</sub> e/MJ)	0 <sup>b</sup>	73 <sup>b</sup>	Operating	–	–	65 - 73
Vehicle manufacturing emissions (metric tons CO <sub>2</sub> e)	13.6 <sup>c,d,e</sup>	8 <sup>c</sup>	Non-operating	–	0 - 13.6	0 – 8.0
Replacement battery manufacturing emissions (metric tons CO <sub>2</sub> e)	4.25 <sup>f</sup>	–	Non-operating	–	0 - 4.25	–
Vehicle purchase price (\$)	36,620 <sup>g</sup>	23,645 <sup>g</sup>	–	Non-operating	24,818 – 36,620	21,280 – 23,645
Sales tax (%)	7.5 <sup>h</sup>	7.5 <sup>h</sup>	–	Non-operating	6.75 – 7.5	6.75 – 7.5
Title fee (\$)	35 <sup>h</sup>	35 <sup>h</sup>	–	Non-operating	–	–
Tax credits (\$)	7,500 <sup>i</sup>	0 <sup>i</sup>	–	Non-operating	–	–
Annual taxes & fees (\$)	668 <sup>j</sup>	668 <sup>j</sup>	–	Non-operating	–	–
Annual insurance cost (\$)	2,400 <sup>k</sup>	1,650 <sup>k</sup>	–	Non-operating	2,160 – 2,400	1,485 – 1,650
Maintenance & repair costs (\$/mile)	0.03 <sup>l</sup>	0.06 <sup>l</sup>	–	Operating	0.027 – 0.030	0.054 – 0.060

Average electricity price (\$/kWh)	0.149 <sup>m</sup>	–	–	Operating	0.134 – 0.149	–
Average gasoline price (\$/gal.)	–	3.19 <sup>m</sup>	–	Operating	–	2.87 – 3.19
Miles per kilowatt-hour	3.333 <sup>n</sup>	–	–	Operating	3.333 – 3.666	–
Resale value (proportion of previous year's value)	0.95 <sup>h</sup>	0.95 <sup>h</sup>	–	Non-operating	0 – 1.0	0 – 1.0
Annual discount rate	0.07 <sup>p</sup>	0.07 <sup>p</sup>	–	Non-operating	0.070 – 0.077	0.070 – 0.077
Annual utilization (mi./year)	11,300 <sup>q</sup>	11,300 <sup>q</sup>	Operating	Operating	5,300 – 90,000	5,300 – 90,000
Aggregate utilization (mi./vehicle)	67,800 <sup>q</sup>	67,800 <sup>q</sup>	Operating	Operating	10,000 – 565,000	10,000 – 565,000
Battery lifespan (mi.)	82,750 <sup>r</sup>	–	Non-operating	Non-operating	28,000 – 565,000	–

Note: – denotes “not applicable.” Emissions estimates assume mid-size EVs and ICEVs (14). Our data are from the following sources: fuel efficiency: <sup>a</sup> (14,60); energy content of gasoline (per-gallon): <sup>b</sup> (14,61); emissions from fuel production and usage: <sup>b</sup> (14); vehicle manufacturing emissions (including emissions from recycling processes): <sup>c</sup> (14,62), <sup>d</sup> (14,25), and <sup>e</sup> (14,63); manufacturing emissions for an 85-kWh replacement battery: <sup>f</sup> (14,64); <sup>g</sup> (14,60,65); sales tax, title fees, and resale value: <sup>h</sup> (55); tax credits: <sup>i</sup> (14,55,66); annual taxes and fees: <sup>j</sup> (67); annual insurance costs: <sup>k</sup> (14,68); per-mile maintenance and repair costs: <sup>l</sup> (69); average electricity and gasoline prices: <sup>m</sup> (55,70); miles per kilowatt-hour: <sup>n</sup> (14); miles per gallon: <sup>o</sup> (14,55); annual discount rate: <sup>p</sup> (55,71); annual and aggregate utilization: <sup>q</sup> (17,59); and battery lifespan: <sup>r</sup> (43).

**Table 1: Emissions and TCO Estimation Parameters**



### 3.0 Results and Discussion

Our results and discussion are structured as follows. First, we present and discuss the lifecycle emissions estimates of EVs compared to ICEVs. Next, we assess TCO differences between EVs and ICEVs given heterogeneity in aggregate utilization patterns. Based on our results, we subsequently characterize the aggregate utilization required for EV-incentive policies to achieve comparable abatement costs to alternative policies. Finally, we discuss the policy implications of our results and propose alternative programs that would facilitate greater economic efficiency and distributional equity.

#### 3.1 Emissions Evaluation

Across all scenarios, EVs per-mile emissions decrease as a function of aggregate mileage compared to ICEVs, suggesting that greater aggregate utilization produces more favorable emissions outcomes for EVs (10). To illustrate this tradeoff, we first estimate the aggregate utilization required for an EV to achieve equivalent per-mile emissions as ICEVs absent consideration of battery replacements (see Table 1 for key input parameters). Under this scenario, assuming an ICEV travels 180,000 miles over its lifetime (14), EVs must travel 55,749 miles to realize an equivalent per-mile emission footprint. That is, both the ICEV and EV will realize an emissions rate of 372.7 g CO<sub>2</sub>e/mile. However, the relative contributions of vehicle manufacturing and operation differ; namely, vehicle manufacturing only accounts for 11.9% of the ICEV's per-mile emissions, while emissions associated with fuel production and use account for the remaining 88.1%. Comparatively, the EV's vehicle manufacturing emissions constitute 65.5% of its per-mile emissions, while fuel production is only responsible for 34.5%.

As aggregate utilization exceeds this threshold, EVs begin to produce per-mile emissions benefits. Conversely, should this threshold not be met, driving an EV would – our model predicts – generate greater emissions than an ICEV. Moreover, assuming ICEVs travel the same aggregate distance as EVs, the relationship between aggregate utilization and emissions becomes more pronounced. Absent battery replacements, EVs must now only travel 28,069 miles to realize emissions parity – measured on both per-mile and total bases – with ICEVs.

We subsequently allow for battery replacement, as the requisite utilization for an EV to have an emissions advantage over an ICEV is sensitive to whether a battery replacement is required. Existing literature suggests battery manufacturing accounts for a significant proportion of EV lifecycle emissions (14). Consequently, failing to consider battery degradation and consequent replacements can produce inaccurate emissions assessments (72). Given that EV battery longevity depends, in part, on annual utilization, accounting for battery replacements also produces heterogeneity in requisite aggregate utilization thresholds as a function of annual miles travelled.

For example, if an EV's annual utilization exceeds 7,135 miles, it must travel 55,749 miles to achieve per-mile emissions parity with an ICEV (assuming the ICEV's aggregate utilization is 180,000 miles) (Table 2). This yields effects nearly identical to our original finding, as our model predicts a battery longevity of 55,751 miles and thus, no battery replacements are required. That is, given an average annual utilization rate of 11,300 miles/year (17), EV batteries will remain at approximately 87% capacity after five years of ownership. Conversely, if an EV's annual utilization is between 3,359 and 7,135 miles, an additional battery will be required as the EV must remain in service for longer to achieve an equivalent aggregate utilization threshold, thereby resulting in greater battery degradation (43,73). This generates additional emissions that raise the requisite aggregate utilization threshold to 73,171 miles.

Aggregate Utilization (mi.)	EV Emissions (g CO <sub>2</sub> e/mi.)	ICEV Emissions (g CO <sub>2</sub> e/mi.)	Requisite EV Annual Utilization w/ Battery Replacements (mi./year)
10,000	1,488.77	1,128.28	-
20,000	808.77	728.28	-
28,069	613.29	613.29	1,246
30,000	582.10	594.94	1,762
40,000	468.77	528.28	4,112
50,000	400.77	488.28	6,102
55,749	372.72	471.78	7,136
60,000	355.44	461.61	7,860
70,000	323.06	442.56	9,452
80,000	298.77	428.28	10,917
90,000	279.88	417.17	12,282
100,000	264.77	408.28	13,565
110,000	252.41	401.00	14,779
120,000	242.10	394.94	15,934
130,000	233.38	389.82	17,038
140,000	225.91	385.42	18,097
150,000	219.44	381.61	19,116
160,000	213.77	378.28	20,100
170,000	208.77	375.34	21,051
180,000	204.33	372.72	21,974
190,000	200.35	370.38	22,869
200,000	196.77	368.28	23,741
450,000	158.99	346.06	40,799

Note: For each level of aggregate utilization, “EV Emissions” and “ICEV” Emissions” denote the estimated lifecycle emissions realized by utilizing an EV (expressed on a per-mile basis) and ICEV (expressed on a per-mile basis), respectively. The rightmost column denotes the annual utilization rate needed for EVs to achieve the estimated EV per-mile emissions rate, accounting for battery replacements. – denotes EV annual utilization thresholds for which – owing to a lack of precise data availability – our battery replacement model cannot estimate exact thresholds.

**Table 2: Per-Mile Emissions Estimates and EV Annual Utilization Thresholds**

Subsequent reductions in annual utilization continue to increase requisite aggregate utilization thresholds. However, meeting these thresholds is unlikely as doing so would require an ownership period inconsistent with existing patterns (59). We find similar trends when allowing ICEVs and EVs to travel

equivalent total miles and accounting for battery replacements. For example, the requisite aggregate utilization threshold remains at 28,069 miles if EVs annual utilization exceeds 1,245 miles. Conversely, if an EV’s annual utilization is between 275 and 1,245 miles, the requisite aggregate utilization threshold increases to 49,371 miles. This suggests that for households with average annual utilization rates (i.e., 11,300 miles/year (17)), EVs only require 2.49 years of ownership to realize an emissions advantage over ICEVs.

Collectively, our estimates of requisite aggregate utilization thresholds exceed those of past studies (16) and highlight the importance of annual utilization and, by consequence, battery longevity in realizing emissions benefits (see Table 3). Put simply, higher annual utilization rates correspond to lower requisite aggregate utilization thresholds, and vice versa when accounting for battery replacements. Moreover, we find that an EV’s emissions benefit is highly contingent upon aggregate utilization, which is sensitive to the counterfactual vehicle that the EV presumably supplants in the market (see Table 4). As abatement costs of public policy focused on emissions reduction depend on the volume of avoided emissions, the efficiency of EV subsidy is thus affected by aggregate EV utilization. Furthermore, it is plausible that EVs with low levels of aggregate utilization would result in no emissions abatement at all.

Author (year)	Assumptions	Results
Schoch et al. (2018) <sup>a</sup>	Simulated degradation model (no primary data collection) Assumes average of 5,500 miles/year annual utilization Assumes typical current charging behaviors Assumes temperatures between 10 – 20 °C End of life defined when battery reaches 80% capacity	Batteries last between 32,450 – 54,615 miles
Micari et al. (2021) <sup>b</sup>	Primary data collected Assumes average of 7,560 miles/year annual utilization End of life defined when battery reaches 70% capacity	Batteries last an average of 85,600 miles
Patil et al. (2023) <sup>c</sup>	Simulated degradation model (no primary data collection) Assumes average of 8,700 miles/year annual utilization End of life defined when battery reaches 80% capacity	Batteries last an average of 80,350 miles

Note: Existing literature on EV battery longevity and degradation. We review the following sources: <sup>a</sup> (47); <sup>b</sup> (74); and <sup>c</sup> (49).

**Table 3: EV Battery Lifecycle Literature**

	Difference in Lifecycle Emissions (ICEV – EV)			
	1% Change	5% Change	10% Change	Parameter Increase/Decrease
<b>Annual Utilization (mi.)</b>	0.14 1.71	0.68 8.53	1.35 17.06	<i>Increase</i>
<b>Aggregate Utilization (mi.)</b>	0.14 1.71	0.68 8.53	1.35 17.06	<i>Increase</i>
<b>ICEV Fuel Efficiency (mi./gal.)</b>	-0.22 -2.78	-1.06 -13.37	-2.02 -25.53	<i>Increase</i>
<b>EV Fuel Efficiency (mi./gallon-equivalent)</b>	0.09 1.09	0.42 5.24	0.79 10.01	<i>Increase</i>
<b>EV Vehicle Manufacturing Emissions (tons CO<sub>2</sub>e)</b>	0.14 1.72	0.68 8.58	1.36 17.16	<i>Decrease</i>
<b>ICEV Vehicle Manufacturing Emissions (tons CO<sub>2</sub>e)</b>	-0.08 -1.01	-0.40 -5.05	-0.80 -10.09	<i>Decrease</i>
<b>EV Fuel Production Emissions (g CO<sub>2</sub>e/MJ)</b>	0.09 1.10	0.44 5.51	0.87 11.01	<i>Decrease</i>
<b>ICEV Fuel Production Emissions (g CO<sub>2</sub>e/MJ)</b>	-0.05 -0.58	-0.23 -2.90	-0.46 -5.80	<i>Decrease</i>
<b>ICEV Fuel Usage Emissions (g CO<sub>2</sub>e/MJ)</b>	-0.18 -2.23	-0.88 -11.14	-1.77 -22.28	<i>Decrease</i>
<b>Replacement Battery Manufacturing Emissions (g CO<sub>2</sub>e/mi.)</b>	0.00 0.00	0.00 0.00	0.00 0.00	<i>Decrease</i>
<b>Battery Lifespan (mi.)</b>	0.00 0.00	0.00 0.00	0.00 0.00	<i>Increase</i>

Note: For each scenario, the absolute change in total lifecycle emissions difference (ICEV emissions – EV emissions) resulting from a 1%, 5%, or 10% change in each input parameter (t CO<sub>2</sub>e) is shown on the top line. Relative changes (%) are displayed on the lower line. The rightmost column denotes whether each parameter was increased or decreased. Initial emissions differences presume average utilization and vehicle ownership behaviors (17,59). Changes to EV Fuel Production Emissions refer to the average emissions factor associated with electricity generation.

**Table 4: Sensitivity Analysis - Lifecycle Emissions Difference**

### 3.2 Financial Evaluation

We subsequently assess the TCO differences between EVs and ICEVs given specified aggregate and annual utilization patterns.

Here, we find that – assuming average ICEV annual utilization rates (i.e., 11,300 miles/year (17)) and equivalent EV annual utilization – EVs are unable to realize a lower TCO than ICEVs, regardless of ownership duration or whether battery replacements are considered. Specifically, we find that the difference in TCOs between EVs and ICEVs increases with ownership duration. Assuming equivalent, average annual utilization patterns, 6-year TCOs for EVs and ICEVs are \$40,111 and \$33,206 respectively, a difference of \$6,906. Yet, raising the ownership duration to 12 years and holding constant all other factors produce EV and ICEV TCOs of \$61,688 and \$51,997, respectively. By raising the ownership duration from 6 to 12 years, TCO differences between EVs and ICEVs have increased from \$6,906 to \$9,691. Accounting for potential battery replacements further worsens the EV’s financial profile, as each additional battery replacement levies an approximate \$11,645 expenditure, though future advancements to manufacturing processes may reduce this cost (see Section 4.0).

This finding – which contradicts findings from previous literature (17) – is explained by the fact that although EVs benefit from lower operating costs (i.e., maintenance, repair, and fuel costs), they are disadvantaged by greater loss of resale value, higher upfront costs, and higher annual insurance costs, which challenge their ability to realize a TCO advantage over ICEVs. For example, based on existing data, our model presently assumes an MSRP difference between EVs and ICEVs of \$12,975, which is equivalent to 32.3% of EVs’ 6-year TCO and 39.1% of ICEVs’ 6-year TCO (14). As we assume equivalent annual depreciation rates for EVs and ICEVs, higher upfront costs raise EV’s TCO differential through both initial purchase price and greater loss of resale value – in absolute dollar amounts – year over year. Additionally, based on current data, average annual insurance costs are approximately \$800/year greater for EVs than ICEVs (14,68), further challenging an EV’s ability to achieve TCO parity.

However, were the EV’s upfront cost differential lowered to \$1,173 more than ICEV’s, our model suggests – ceteris paribus – TCO parity could be realized over a 6-year ownership period within existing utilization trends. Similarly, whereas our sensitivity analysis suggests that increases in ICEVs’ fuel costs or declining electricity prices (75) will result in relatively inelastic declines in TCO differentials, reductions in costs associated with resale value and insurance offer elastic returns (see Tables 5 and 6).

	Vehicle Length of Ownership (years)			
Annual Utilization (mi./year)	6	8	10	12
5,300	9,169	10,913	23,966	25,106
	9,169	10,913	12,321	13,461
7,000	8,528	21,754	23,022	24,038
	8,528	10,109	11,377	12,393
10,000	7,396	20,337	21,354	22,153
	7,396	8,692	9,709	10,508
11,300	6,906	19,723	20,632	21,336
	6,906	8,078	8,987	9,691
15,000	5,510	17,975	18,576	19,010
	5,510	6,330	6,931	7,365
20,000	3,625	15,612	15,797	15,868
	3,625	3,967	4,152	4,223
45,000	-5,804	-7,844	-9,741	157
	-5,804	-7,844	-9,741	-11,488
90,000	-22,776	-29,106	-34,749	-39,769
	-22,776	-29,106	-34,749	-39,769

Note: The top line in each cell denotes the estimated TCO difference (EV – ICEV) assuming necessary battery replacements. The bottom line denotes estimated TCO differences without accounting for battery replacements. All TCO differences are expressed in US dollars and account for resale value as a function of ownership duration. Positive TCO differences imply EVs realize greater total costs than ICEVs; negative TCO differences suggest that EVs achieve a cost advantage over ICEVs.

**Table 5: TCO Differences**

	Difference in TCO (EV – ICEV)			
	1% Change	5% Change	10% Change	Parameter Increase/Decrease
<b>Annual Utilization (mi.)</b>	-42.56 -0.62	-213.09 -3.09	-426.17 -6.17	<i>Increase</i>
<b>Aggregate Utilization (mi.)</b>	-42.56 -0.62	-213.09 -3.09	-426.17 -6.17	<i>Increase</i>
<b>EV Remaining Resale Value (%)</b>	-1,103.51 -15.98	-6,100.40 -88.34	-6,464.14 -93.60	<i>Increase</i>
<b>ICEV Remaining Resale Value (%)</b>	712.52 10.32	3,938.94 57.04	4,173.80 60.44	<i>Increase</i>
<b>ICEV Fuel Efficiency (mi./gal.)</b>	50.03 0.72	240.64 3.48	459.41 6.65	<i>Increase</i>
<b>EV Fuel Efficiency (mi./kWh)</b>	-23.84 -0.35	-114.65 -1.66	-218.88 -3.17	<i>Increase</i>
<b>Average Electricity Cost (\$/kWh)</b>	-24.08 -0.35	-120.38 -1.74	-240.76 -3.49	<i>Decrease</i>
<b>Average Gasoline Cost (\$/gal.)</b>	50.54 0.73	252.68 3.66	505.35 7.32	<i>Decrease</i>
<b>EV MSRP (\$)</b>	-214.29 -3.10	-1,071.46 -15.52	-2,142.92 -31.03	<i>Decrease</i>
<b>ICEV MSRP (\$)</b>	138.27 2.00	691.83 10.02	1,383.65 20.04	<i>Decrease</i>
<b>Sales Tax (%)</b>	-9.73 -0.14	-48.66 -0.70	-97.31 -1.41	<i>Decrease</i>
<b>EV Maintenance &amp; Repair Costs (\$/mi.)</b>	-16.16 -0.23	-80.79 -1.17	-161.59 -2.34	<i>Decrease</i>
<b>ICEV Maintenance &amp; Repair Costs (\$/mi.)</b>	32.32 0.47	161.59 2.34	323.17 4.68	<i>Decrease</i>
<b>EV Annual Insurance (\$/year)</b>	-114.40 -1.66	-571.98 -8.28	-1,143.97 -16.57	<i>Decrease</i>
<b>ICEV Annual Insurance (\$/year)</b>	78.65 1.14	393.24 5.69	786.48 11.39	<i>Decrease</i>
<b>Annual Discount Rate</b>	26.37 0.38	130.68 1.89	258.45 3.74	<i>Increase</i>

Note: For each scenario, we show absolute changes in TCO difference (EV – ICEV) associated with 1%, 5%, and 10% changes in each key input parameter on the top line, expressed in US dollars. The lower line shows relative changes (%). The rightmost column denotes whether each parameter was increased or decreased. Adjustments to Remaining Resale Value for both EVs and

ICEVs are capped at 100% of the previous year's value (i.e., no depreciation year over year). Initial TCO differences presume average utilization and vehicle ownership behaviors (17,59).

**Table 6: Sensitivity Analysis - TCO Difference**

Additionally, EVs can achieve less onerous financial prospects through increased annual utilization rates. For example, although raising annual utilization from 11,300 to 20,000 miles increases TCOs for both EVs and ICEVs, EVs' TCO *differential* decreases from \$6,906 to \$3,625 after 6 years of ownership. Yet after 12 years, EVs' TCO is – owing to required battery replacements – \$15,868 greater than ICEVs'. To achieve TCO parity over 12 years given current financial parameters (Table 1) and accounting for battery replacements, EVs' requisite annual utilization is approximately 46,686 miles/year (45,249 miles/year accounting for resale value). Absent consideration of requisite battery replacements, EVs' requisite annual utilization to achieve TCO parity in 12 years is – our model suggests – 31,673 miles/year (26,720 miles/year accounting for resale value).



Author (year)	Assumptions	Results
Prud'homme and Koning (2012) <sup>a</sup>	Examines 2010 EV and ICEV models in France Assumes 15-year lifespan Assumes average of 10,000 km/year	EVs' TCO exceeds ICEVs' by €15,000 Fuel cost changes are insufficient in producing EV cost advantages
Wu et al. (2015) <sup>b</sup>	Uses Monte Carlo simulations to estimate EV and ICEV TCOs in Germany Models up to 10-year lifespan	EVs traveling 7,483 – 15,184 km/year are unlikely to realize a TCO advantage through 2025 EVs traveling 28,434 km/year can achieve a TCO advantage over ICEVs Fuel cost changes are insufficient in producing EV cost advantages
Elgowainy et al. (2018) <sup>c</sup>	Examines vehicle models through 2030 in US Assumes 15-year lifespan Assumes 178,000 aggregate utilization Ignores maintenance and insurance costs	EVs' TCO exceeds ICEVs' by at least \$0.32/mi.
Danielis et al. (2018) <sup>d</sup>	Examines 2017 models through 2025 in Italy Assumes 5,000 – 15,000 km/year annual utilization Assumes 6-year first ownership period	EVs' TCO exceeds ICEVs' by 0.13 €/km – 0.55 €/km, depending on annual utilization

Note: Existing literature on EV versus ICEV TCO differentials. We review the following sources: <sup>a</sup> (76); <sup>b</sup> (31); <sup>c</sup> (77); and <sup>d</sup> (78).

**Table 7: EV-ICEV TCO Differential Literature**

### 3.3 Achieving Abatement Cost Parity

Collectively, our results suggest that – under average annual utilization patterns (17) – as aggregate utilization increases, EVs realize greater emissions advantages, yet their total costs relative to ICEVs also rise. The reasons for this are twofold. First, because EVs – compared to ICEVs – generate greater manufacturing emissions but fewer combined emissions from fuel production and use (14), each mile travelled partially offsets the difference in manufacturing emissions, eventually generating an EV emissions advantage. Second, holding constant annual utilization, achieving greater aggregate utilization requires longer ownership durations. Consequently, both EVs and ICEVs are associated with greater TCOs, owing to the accumulation of annual costs such as insurance and depreciation of resale value. Because these costs are greater for EVs compared to ICEVs (Table 1), extending ownership durations to achieve higher aggregate utilization raises EV costs more rapidly.

Given these findings, the potential cost-effectiveness of EV-incentive policies largely depends on the rate at which emissions benefits rise relative to TCO. Our model shows that EV emissions benefits increase more rapidly – as a function of aggregate utilization – than TCO. This subsequently leads to an inverse relationship between abatement cost and aggregate utilization (described in Section 1.1) and allows us to estimate requisite aggregate utilization thresholds for several abatement cost targets (see Tables 8 and 9, Fig. 1).

For example, our model estimates that, after accounting for battery replacements, EVs must travel approximately 150,000 miles in 6 years to achieve an abatement cost of \$350/ton CO<sub>2e</sub> reduced, with a requisite subsidy of \$8,293. Realizing an abatement cost of \$50/ton CO<sub>2e</sub> reduced requires traveling almost 250,000 miles over the same period yet only a \$2,158 subsidy. If spread over a 12-year ownership period, achieving an abatement cost of \$350/ton CO<sub>2e</sub> reduced requires travelling over 23,000 miles annually and subsidies totaling \$16,551.

How cost effectively does current EV procurement incentive policy – specifically the Qualified Plug-In Electric Drive Motor Vehicle Credit (7) – facilitate emissions reductions? Based on emergent trends in overall vehicle ownership and annual utilization, the \$7,500 procurement incentive program produces EVs that travel between 41,000 and 75,000 miles over 6.61 years (18-19,59,79). This translates to – considering only government expenditure – an abatement cost of \$801/ton CO<sub>2e</sub> reduced, which significantly exceeds that of alternative policies (13). Moreover, accounting for the total cost differential between EVs and ICEVs raises the effective abatement cost to at least \$1,368/ton CO<sub>2e</sub> reduced.

Furthermore, the Qualified Plug-In Electric Drive Motor Vehicle Credit produces a TCO differential of – our model estimates – \$12,809 (\$6,453 accounting for EV and ICEV resale values). This policy is thus, regardless of vehicle resale value, inefficient from a fiscal perspective. To realize a \$7,500 TCO difference, EVs must travel approximately 159,456 miles (58,347 miles accounting for resale value) over 6 years. Moreover, because our estimates represent the requisite distance an EV must travel to achieve a given cost differential, driving fewer than 159,456 miles (58,347 miles) may result in greater costs incurred by EV owners.

Additionally, realizing a TCO difference of equivalent magnitude using existing federal subsidies produces an associated abatement cost of \$286/ton CO<sub>2e</sub> reduced (\$1,242/ton CO<sub>2e</sub> reduced). To realize an economically efficient abatement cost (i.e., \$50/ton CO<sub>2e</sub> reduced (13)) under this scenario, EVs' requisite emissions advantage is 150.0 tons CO<sub>2e</sub>. Producing such an emissions advantage is unviable given that ICEVs – assuming 159,456 miles (58,347 miles) travelled – currently only generate 60.3 tons CO<sub>2e</sub> (27.2 tons CO<sub>2e</sub>), accounting for emissions from vehicle manufacturing and utilization. This suggests an upper-bound abatement cost of \$124/ton CO<sub>2e</sub> reduced (\$276/ton CO<sub>2e</sub> reduced) were EVs to produce zero total emissions (see Supplementary Information, Section III). This suggests that – regardless of potential improvements to EV manufacturing or utilization emissions profile – current incentives are unlikely to facilitate economically efficient emissions reductions.

Conversely, EVs current emissions advantage given existing utilization behaviors is – our model estimates – 7.93 tons CO<sub>2e</sub>, suggesting a requisite TCO differential of \$397 to realize an abatement cost of \$50/ton CO<sub>2e</sub> reduced (see Supplementary Information, Section III). Given existing utilization trends, parity in annual insurance costs is insufficient to realize the requisite TCO differential; however, an EV MSRP of \$25,889 would produce a \$397 TCO difference. This result is analogous to previous estimates (55). Yet,

such a prospect – owing to additional costs from battery manufacturing (14) – may be challenging to achieve.

Likewise, future decarbonization of the electrical grid – and by consequence, reductions in EV-related emissions from fuel production – appear, *ceteris paribus*, insufficient to realize efficient abatement costs. For example, the requisite aggregate utilization threshold for EVs to realize an abatement cost of \$50/ton CO<sub>2</sub>e reduced given current electric grids is 244,437 miles (157,176 miles accounting for resale value) over a 6-year ownership period, or 513,943 miles (464,012 miles accounting for resale value) over a 12-year ownership period (see Tables 8 and 9). Yet, even if the emissions footprint associated with EV fuel production were reduced to zero (a condition representative of complete grid decarbonization), EVs' requisite utilization thresholds are 224,583 miles (144,410 miles accounting for resale value) over a 6-year period and 465,838 miles (420,580 miles accounting for resale value) over a 12-year period. These figures – which are equivalent to approximately a 10 percent reduction in aggregate utilization relative to the baseline scenario – would still exceed vehicle utilization trends observed today (26-28).<sup>3</sup> Moreover, to the extent that successful EV adoption requires additional investments in public charging infrastructure (80), our results potentially underestimate the stringency of EVs' utilization thresholds and TCO differentials required to realize a given abatement cost target.

---

<sup>3</sup> Were emissions associated with ICEV and EV vehicle and battery manufacturing reduced to 0 – a potential consequence of a decarbonized electric grid and manufacturing process, – requisite aggregate utilization thresholds remain beyond current trends. Specifically, to achieve a \$50/ton CO<sub>2</sub>e abatement cost, EVs must travel 221,050 miles (140,878 miles accounting for resale value) over a 6-year period, or 458,678 miles (413,420 miles accounting for resale value) over a 12-year period.

6-year ownership period									
Abatement cost target (\$/ton CO <sub>2</sub> e reduced)	Aggregate utilization threshold (miles)	Total Abatement Cost (\$/vehicle)	Total Emissions Advantage (tons CO <sub>2</sub> e reduced/vehicle)	Aggregate utilization threshold – clean electricity (miles)	Total Abatement Cost – clean electricity (\$/vehicle)	Total Emissions Advantage – clean electricity (tons CO <sub>2</sub> e reduced/vehicle)	Abatement cost w/ extra battery (\$/ton CO <sub>2</sub> e reduced)	Total Abatement Cost w/ extra battery (\$/vehicle)	Total Emissions Advantage w/ extra battery (tons CO <sub>2</sub> e reduced/vehicle)
50	244,437 (157,176)	2,158 (1,288)	43.16 (25.76)	224,583 (144,410)	3,406 (2,090)	68.13 (41.81)	355 (601)	13,803 (12,933)	38.88 (21.52)
92	222,246 (143,934)	3,553 (2,120)	38.62 (23.04)	193,836 (125,542)	5,339 (3,276)	58.03 (35.61)	441 (730)	15,198 (13,765)	34.46 (18.86)
100	218,372 (141,623)	3,797 (2,265)	37.97 (22.65)	188,984 (122,564)	5,644 (3,463)	56.44 (34.64)	458 (756)	15,442 (13,910)	33.72 (18.40)
107	215,092 (139,666)	4,003 (2,389)	37.41 (22.33)	184,952 (120,090)	5,897 (3,619)	55.12 (33.82)	473 (779)	15,648 (14,034)	33.08 (18.02)
150	197,912 (129,415)	5,083 (3,033)	33.89 (20.22)	163,810 (107,116)	7,226 (4,435)	48.18 (29.56)	564 (919)	16,728 (14,678)	29.66 (15.97)
200	181,424 (119,576)	6,119 (3,651)	30.60 (18.26)	145,067 (95,613)	8,404 (5,158)	42.02 (25.79)	674 (1,092)	17,764 (15,296)	26.36 (14.01)
250	167,855 (111,479)	6,972 (4,160)	27.89 (16.64)	130,569 (86,717)	9,316 (5,717)	37.26 (22.87)	788 (1,276)	18,617 (15,805)	23.63 (12.39)
286	159,456 (106,484)	7,500 (4,474)	26.22 (15.64)	122,011 (81,465)	9,854 (6,047)	34.45 (21.14)	872 (1,415)	19,145 (16,119)	21.96 (11.39)
300	156,491 (104,699)	7,686 (4,586)	25.62 (15.29)	119,021 (79,630)	10,042 (6,162)	33.47 (20.54)	905 (1,470)	19,331 (16,231)	21.36 (11.04)

350	146,836 (98,938)	8,293 (4,949)	23.69 (14.14)	109,606 (73,852)	10,633 (6,525)	30.38 (18.64)	1,025 (1,678)	19,938 (16,594)	19.45 (9.89)
400	138,532 (93,982)	8,815 (5,260)	22.04 (13.15)	101,783 (69,051)	11,125 (6,827)	27.81 (17.07)	1,150 (1,899)	20,460 (16,905)	17.79 (8.90)
450	131,312 (89,674)	9,269 (5,531)	20.60 (12.29)	95,179 (64,999)	11,540 (7,082)	25.65 (15.74)	1,279 (2,136)	20,914 (17,176)	16.35 (8.04)
500	124,979 (85,895)	9,667 (5,768)	19.33 (11.54)	89,530 (61,532)	11,895 (7,300)	23.79 (14.60)	1,413 (2,390)	21,312 (17,413)	15.08 (7.29)
1,242	78,811 (58,347)	12,569 (7,500)	10.12 (6.04)	52,017 (38,512)	14,253 (8,747)	11.48 (7.04)	4,123 (10,691)	24,214 (19,145)	5.87 (1.79)
801	75,000	12,809 (6,453)	15.99 (8.06)	-	-	-	4,783 (3,540)	24,454 (18,098)	5.11 (5.11)

Note: - = not applicable. The top line of each cell denotes an estimate assuming the EV and ICEV have no resale value at the end of the initial ownership period, a potential consequence of both vehicles' high aggregate utilization. The bottom line relaxes this assumption and includes resale value as a function of ownership duration. We present results for 6-year ownership durations, which represent the duration of vehicles' average first ownership period (59). The bottom row presents abatement costs realized under current policy given a \$7,500 tax incentive and 75,000-mile aggregate utilization.

**Table 8: Aggregate Utilization Thresholds**

**12-year ownership period**

<b>Abatement cost target (\$/ton CO<sub>2</sub>e reduced)</b>	<b>Aggregate utilization threshold (miles)</b>	<b>Total Abatement Cost (\$/vehicle)</b>	<b>Total Emissions Advantage (tons CO<sub>2</sub>e reduced/vehicle)</b>	<b>Aggregate utilization threshold – clean electricity (miles)</b>	<b>Total Abatement Cost – clean electricity (\$/vehicle)</b>	<b>Total Emissions Advantage – clean electricity (tons CO<sub>2</sub>e reduced/vehicle)</b>	<b>Abatement cost w/ extra battery (\$/ton CO<sub>2</sub>e reduced)</b>	<b>Total Abatement Cost w/ extra battery (\$/vehicle)</b>	<b>Total Emissions Advantage w/ extra battery (tons CO<sub>2</sub>e reduced/vehicle)</b>
50	513,943 (464,012)	4,634 (4,136)	92.68 (82.72)	465,838 (420,580)	7,154 (6,411)	143.07 (128.22)	184 (201)	16,279 (15,781)	88.47 (78.51)
92	459,225 (415,117)	7,500 (6,694)	81.52 (72.76)	393,064 (355,363)	10,965 (9,826)	119.18 (106.81)	247 (267)	19,145 (18,339)	77.51 (68.69)
100	449,865 (406,821)	7,990 (7,131)	79.90 (71.31)	381,873 (345,334)	11,551 (10,352)	115.51 (103.52)	260 (280)	19,635 (18,776)	75.52 (67.06)
107	441,981 (399,783)	8,403 (7,500)	78.53 (70.09)	372,632 (337,053)	12,035 (10,785)	112.48 (100.80)	271 (292)	20,048 (19,145)	73.98 (65.57)
150	401,321 (363,494)	10,533 (9,401)	70.22 (62.67)	325,034 (294,398)	14,528 (13,019)	96.85 (86.79)	336 (360)	22,178 (21,046)	66.01 (58.46)
200	363,272 (329,535)	12,525 (11,179)	62.63 (55.90)	284,004 (257,628)	16,677 (14,945)	83.38 (74.72)	414 (442)	24,170 (22,824)	58.38 (51.64)
250	332,648 (302,202)	14,129 (12,610)	56.52 (50.44)	252,994 (229,838)	18,301 (16,400)	73.20 (65.60)	493 (525)	25,774 (24,255)	52.28 (46.20)
286	314,056 (285,608)	15,103 (13,479)	52.81 (47.13)	234,976 (213,691)	19,244 (17,246)	67.29 (60.30)	551 (586)	26,748 (25,124)	48.54 (42.87)
300	307,468 (279,728)	15,448 (13,787)	51.49 (45.96)	228,731 (208,095)	19,571 (17,539)	65.24 (58.46)	573 (610)	27,093 (25,432)	47.28 (41.69)

350	286,399 (260,923)	16,551 (14,772)	47.29 (42.21)	209,231 (190,619)	20,593 (18,454)	58.84 (52.73)	655 (696)	28,196 (26,417)	43.05 (37.96)
400	268,510 (244,957)	17,488 (15,608)	43.72 (39.02)	193,215 (176,267)	21,431 (19,206)	53.58 (48.01)	738 (784)	29,133 (27,253)	39.48 (34.76)
450	253,132 (231,232)	18,293 (16,327)	40.65 (36.28)	179,827 (164,269)	22,132 (19,834)	49.18 (44.08)	822 (873)	29,938 (27,972)	36.42 (32.04)
500	239,771 (219,307)	18,993 (16,952)	37.87 (33.90)	168,469 (154,090)	22,727 (20,367)	45.45 (40.73)	908 (964)	30,638 (28,597)	33.74 (29.66)
1,242	145,868 (135,497)	23,911 (21,341)	19.25 (17.18)	95,163 (88,397)	26,566 (23,808)	21.39 (19.17)	2,370 (2,551)	35,556 (32,986)	15.00 (12.93)
801	-	-	-	-	-	-	-	-	-

Note: - = not applicable. The top line of each cell denotes an estimate assuming the EV and ICEV have no resale value at the end of the initial ownership period, a potential consequence of both vehicles' high aggregate utilization. The bottom line relaxes this assumption and includes resale value as a function of ownership duration. We present results for 12-year ownership durations, which approximate the average age of vehicles in the United States vehicle fleet (27,59). The bottom row presents abatement costs realized under current policy given a \$7,500 tax incentive and 75,000-mile aggregate utilization.

**Table 9: Aggregate Utilization Thresholds**



Figure 1: Aggregate utilization thresholds and associated abatement cost targets (no resale value)



### *3.4 Pathways to Reform and Equity Implications*

However, EVs may achieve abatement cost parity with other policy options were existing procurement incentive policy restructured to incentivize electrifying high-utilization vehicles. For example, incentivizing EVs as replacement vehicles for taxis, which drive an estimated 450,000 miles over a 5-year period (81), would allow EVs to realize both a TCO and emissions advantage over ICEVs – making it economically efficient compared to alternative policies. Specifically, previous literature (13) calculates policies such as reforestation, wind energy subsidies, gasoline taxes, CAFE standards, renewable fuel subsidies, and weatherization assistance programs to have abatement costs of \$1 – \$10/ton CO<sub>2e</sub> reduced, \$2 – \$260/ton CO<sub>2e</sub> reduced, \$18 – \$47/ton CO<sub>2e</sub> reduced, \$48 – \$310/ton CO<sub>2e</sub> reduced, \$100/ton CO<sub>2e</sub> reduced, and \$350/ton CO<sub>2e</sub> reduced, respectively.

Our results highlight the importance of high utilization rates if existing EV procurement incentive policies are to achieve efficient emissions reductions. We emphasize targeting high-utilization vehicles for the following reasons. First, holding constant ownership duration, lower costs and fewer emissions associated with driving EVs persist relative to ICEVs. Conversely, longer ownership durations – *ceteris paribus* – increase TCO differences between EVs and ICEVs. This is due to higher annual costs and reduced battery longevity, the latter of which is a consequence of calendar aging (i.e., capacity fade due to the passage of time) (43).

Additionally, vehicles with high annual utilization are better positioned to realize greater aggregate utilization thresholds during a single ownership period. This, a) allows incentives to be more directly targeted towards individuals who help facilitate emissions benefits and, b) reduces the requisite magnitude of financial support owing to lower TCO differences (Tables 8 and 9). Put simply, high-utilization vehicles may reduce the requisite magnitude of current subsidies while facilitating more efficient emissions reductions.

Finally, adjusting policy in this way would help address existing inequities in subsidy distribution. Current EV subsidies are disproportionately claimed by higher-income households, many of whom use these vehicles as secondary (or tertiary) compliments rather than primary substitutes (10,82-83). This procurement pattern demands even higher aggregate mileage to realize efficient abatement costs, mileage – existing utilization data suggests – that is unlikely to be realized (10,26-28). Shifting the distribution of incentives towards high-utilization vehicles offers the possibility of a more equitable realization of EV subsidies, particularly among low-income households whose vehicle utilization patterns are more consistent with those required to achieve efficient abatement costs (81,84-88).

We acknowledge that the realization of this outcome necessitates partial (or full) restructuring of EV subsidies away from credits alone. Overrepresentation of higher-income households in EV subsidy programs reflects – in part – distribution of program benefits as credits, rather than refunds. The former is less advantageous to low-income households, as these households lack sufficient tax liability to claim tax credits (which constitute most EV procurement incentive programs). Consequently, achieving equity in EV subsidy distribution and efficient abatement costs is unlikely absent first moving away from credit-only incentive programs, and second, prioritizing the distribution of subsidies to high utilization vehicles.

How might policymakers target subsidies towards vehicle utilization? In addition to providing procurement incentives to taxis and rideshare vehicles, programs can prioritize single-vehicle households, as multi-vehicle households often utilize EVs as a secondary or tertiary vehicle with less total mileage (89).

Programs may also reward utilization via mechanisms such as road tax exemptions, toll exemptions, subsidized vehicle maintenance fees, or eligibility restrictions (e.g., only households whose historic annual utilization exceeds a specified threshold may claim procurement subsidies).

The racial and ethnic implications of directing EV subsidies towards high-utilization vehicles also warrant further discussion. Workers identifying as non-White are consistently overrepresented in industries characterized by high vehicle utilization (90). This is particularly true of the ridesharing and taxi industries, which disproportionately serve as an employment source for Asian Non-Hispanic, Black Non-Hispanic, and Hispanic Americans (91). While the reasons for overrepresentation of these groups in the ridesharing and taxi industry are varied, their presence reflects – in part – low barriers to occupational entry and historical and systemic disparities in educational access, which consequently impact long-term earnings potential vis-à-vis occupational choice (92).

Furthermore, existing literature suggests that lower-income households – which are disproportionately non-White (93) – often live farther away from urban centers, thereby requiring greater travel time, travel distances, and vehicle access than their wealthier counterparts (94-97). Existing EV procurement incentive policies perpetuate these disparities by implicitly rewarding racial and ethnic groups whose vehicle utilization patterns are both less likely to produce large emissions reductions and less likely to deliver efficient abatement costs. Our analysis suggests that revisiting this approach may be warranted.

In addition to low earnings within ridesharing and taxi industries – which see a higher concentration of racial and ethnic minorities, we emphasize the importance of EV procurement incentives' proportional benefits. Given the reality that – owing to lower average income levels – transportation represents a greater proportion of minorities' total expenses (98-101), financial incentives that reduce transportation costs may have a larger impact on these groups' vehicle procurement decisions while maximizing the efficiency of potential emissions reductions<sup>4</sup>. Furthermore, structuring such incentives as tax refunds rather than credits affords greater accessibility to minority households via reduced income requirements to obtain the full benefit.

We acknowledge that existing EV procurement policies do not explicitly seek to exclude specific racial and ethnic groups. However, by virtue of their design, these programs have historically benefited middle and high-income households who typically identify as White Non-Hispanic (82). Given that race and ethnicity in terms of stratification often determine socioeconomic status (SES), the relationships between SES, race, and ethnicity are invariably related (102-103). Redirecting government capital towards incentivizing purchases of high-utilization EVs offers a pathway towards rectifying this inequity while addressing an important public policy objective; namely, efficient emissions reductions.

---

<sup>4</sup> Such is the case in the ride hailing industry where drivers directly incur vehicle procurement costs. These costs are borne indirectly in the taxi industry via a gate fee (99).

## 4.0 Limitations

Limitations of our work warrant discussion.

First, uncertainties regarding future EV production emissions and cost – potentially owing to improvements in battery manufacturing processes – can affect our requisite aggregate utilization thresholds. Though it remains unclear whether further reductions in battery manufacturing costs may be realized due to rising material costs (104), we apply sensitivity testing to our emissions and financial input parameters to assess the relative contribution of different factors. Given the relatively high abatement costs associated with incentivizing EVs with average annual utilization (i.e., 5,000 – 11,000 miles/year), our results suggest the structure of current policy is unlikely to achieve economically efficient emissions reductions absent significant improvements to multiple parameters, such as EVs' MSRP, battery longevity, and insurance costs.

Second, given the nascent nature of EV adoption, there is currently little data on real-world battery longevity, particularly when subjected to high annual utilization rates. Our model extrapolates from existing studies of battery degradation, which largely focus on outcomes under more modest driving behaviors. As such, it is possible that high annual utilization – owing to disproportionately increased cycle aging (i.e., capacity fade owing to repeated charge/discharge cycles) – could cause EV batteries to degrade more rapidly than our model predicts. However, emerging work suggests that calendar aging remains the dominant source of capacity loss and battery degradation even in higher utilization scenarios (43,105).

Third, our model does not account for regional differences in climate and carbon intensity of electricity grids. The efficiency and range of EVs depends, in part, on ambient temperatures; namely, warmer climates can quicken battery degradation, while cooler temperatures can limit a battery's total capacity and thus EV range (29,43,105-106). Similarly, EV emissions depend on the relative cleanliness of the electricity grid, as less carbon-intense grids reduce emissions associated with EV fuel production, and vice versa (38-40). Thus, geographic areas with moderate climates and cleaner electricity grids will realize – owing to improved battery longevity and efficiency of fuel production - lower aggregate utilization thresholds. Conversely, regions with especially warm or cool climates and more carbon-intense electricity grids will require greater aggregate utilization to meet abatement cost thresholds. We emphasize however that carbon-free electrical grids alone are insufficient to deliver economically efficient abatement costs.

Nevertheless, existing literature on regional and international differences in electric grid carbon intensities, fuel prices, climates, and vehicle utilization patterns can offer useful insights in translating our findings (38-40). Namely, in states such as California, Nevada, Washington, New York (39-40), New Mexico, and Oregon (39), as well as countries including Canada (38), Sweden, Norway, and France (107), EVs' likely require less stringent utilization thresholds and TCO differentials to realize a given abatement cost target. Conversely, EVs utilized in regions such as Michigan, Ohio, Montana, Wyoming (39-40), Iowa (38) and Utah (39) or countries such as Mexico (38), Korea, and China (107) likely require more stringent thresholds. Moreover, even in racially or ethnically homogenous countries (e.g., Norway), our findings and subsequent emphasis on vehicle utilization-based policies may improve socioeconomic inequities in existing policies' distributions (108).

Fourth, our analysis focuses on standardized vehicles that are likely to represent the typical vehicle a household might purchase. However, emerging literature suggests that EVs may frequently replace

relatively fuel-efficient ICEVs (109). To the extent such a substitution pattern is pervasive among prospective EV owners, our results may slightly overestimate the emissions benefit EVs offer, thereby raising the actual implied abatement cost. Similarly, we recognize that to the extent potential rebound effects may encourage EV drivers to travel additional miles relative to their ICEV counterparts, our results may slightly overestimate EVs' emissions benefit, raising implied abatement costs.

Fifth, to facilitate an apples-to-apples comparison between EVs and ICEVs, we standardize vehicle type. This entails comparing an EV sedan to an ICEV sedan as e-sedans represent the largest share of the EV market (110). We further note that sedans have historically represented the largest share of the conventional vehicle market and the greatest number of available EV types (111-112). While other vehicle profiles could be used (e.g., SUVs/crossovers), the lack of sufficient EV models in this market precludes meaningful comparison with conventional SUVs (113). Nevertheless, future studies examining multiple vehicle segments and estimating aggregate emissions benefits via sales-weighted averages would offer valuable insights to policymakers.

Sixth and finally, our work does not address future economies of scale and technological advancements that may develop owing to increased EV procurement, which may improve EVs' potential emissions benefits and – consequently – lower their implied abatement cost. This decision is intentional, as existing literature suggests that supply-side incentives have a greater impact on prices and may more effectively reduce emissions than demand-side policies (114-115), while additional work demonstrates that supply-side policies are frequently prerequisites for effective demand-side incentives (116-117). Therefore, if policymakers' primary goal is to promote future innovation rather than achieve present emissions reductions, policy should nevertheless be focused – at least initially – towards supply-side policies.

## 5.0 Conclusion

Despite the limitations discussed thus far, our results show consistent evidence of EV-incentives' potential to generate significant emissions reductions, even with battery replacements. However, the magnitude of these reductions is dependent in large measure on EV utilization. Aggregate utilization below 55,749 miles may – in the United States at least, - fail to generate any emissions benefit over ICEVs. Consequently, public policies aimed at reducing transportation emissions through EV adoption are more likely to garner benefits if focused on utilization, rather than simply market volume.

The potential for emission reductions should be caveated with an appreciation of economic efficiency. Because we estimate the typical lifecycle emissions of an ICEV to be 60.3 tons of CO<sub>2</sub>e, the current federally provided \$7,500 subsidy per vehicle can at best have an emission abatement potential (with typical vehicle utilization) of \$124/ton, which exceeds that of alternative policy options (13) as well as estimated \$50/ton emissions benefit (118). For the EV subsidy to be economically efficient and to have equal cost and benefit, the EV lifecycle emissions would have to be zero and the requisite subsidy \$3,015 per vehicle.

The challenge in garnering emission abatement through EV subsidy is further exacerbated when considering TCO. Even though EVs have lower operating costs, higher insurance costs and greater value depreciation (due to their higher sticker price) mean that the more EVs are used, the more expensive they become relative to ICEVs. To achieve a TCO of \$7,500, an EV would have to travel 159,456 miles within six years (or 58,347 miles if including resale value). If an EV remains in operation for 12 years, it may require a battery replacement—a cost of \$11,645—which means that, perversely, the older the EV, the higher the subsidy required to overcome TCO differences relative to an ICEV. Our research suggests that an EV with comparable utilization rates to a typical ICEV always has a higher TCO, and battery replacements significantly widen TCO gaps.

The TCO difference between EVs and ICEVs may be counteracted, though, when considering the potential for extremely high vehicle utilization, such as taxis or rideshare. For example, EVs that are utilized at more than 450,000 miles over 5 years have advantages over ICEVs for both emissions and TCO. This suggests that subsidies targeted at high utilization vehicles (e.g., taxis and single-vehicle households) are far more likely to reduce both emissions and produce net financial benefits to the EV consumer. Similarly, programs that incentivize vehicle utilization over simple vehicle procurement (e.g., toll exemptions, subsidized vehicle maintenance fees) can offer an improved cost-to-benefit ratio in abating CO<sub>2</sub> emissions. Conversely, EV subsidies that are mostly dispersed to homes with low vehicle utilization are far less likely to have either environmental or financial benefits.

Our findings are timely given government interest in widespread EV adoption. EV procurement incentives feature prominently in current U.S. government efforts to reduce carbon emissions, as do grid decarbonization efforts. However, passage of legislation instantiating these efforts remains challenging owing – in part – to financial concerns. Our work can help inform these efforts. We demonstrate that maximizing emissions reductions per dollar spent may entail shifting emphasis away from the universal application of EV subsidies to the adoption of a more targeted approach; one that considers behavioral heterogeneity in EV utilization. We further note that this approach would disproportionately benefit racial and ethnic minorities who have historically been excluded from such programs.

We emphasize that our study does not cast judgment on the economic wisdom of EV subsidies. The potential for accelerating spill-over benefits or economies of scale for the EV industry is outside the scope of this analysis, as is any assessment of the fiscal and economic impacts from additional federal subsidy. We note however, that while it is possible for these subsidies to produce environmental benefits, the magnitude of benefit is dependent on vehicle utilization. Consequently, consideration of this parameter in subsidy policies warrants scrutiny by policymakers.

## References

1. United States Environmental Protection Agency (2018). Fast Facts: U.S. Transportation Sector Greenhouse Gas Emissions 1990 –2016, United States Environmental Protection Agency, Office of Transportation and Air Quality EPA-420-F-18-013.
2. Axsen, Jonn et al. "Crafting strong, integrated policy mixes for deep CO<sub>2</sub> mitigation in road transport." *Nature Climate Change*, vol. 10, 2020, pp. 809-818, doi: 10.1038/s41558-020-0877-y.
3. Hoek, Gerard, et al. "Association between Mortality and Indicators of Traffic-Related Air Pollution in the Netherlands: a Cohort Study." *The Lancet*, vol. 360, no. 9341, 2002, pp. 1203–1209, doi:10.1016/s0140-6736(02)11280-3.
4. Muratori, Matteo, et al. "The rise of electric vehicles—2020 status and future expectations." *Progress in Energy* 3.2 (2021): 022002.
5. Hardman, Scott, et al. "A perspective on equity in the transition to electric vehicle." MIT Science Policy Review, (2021).
6. Burnham, Andrew, et al. *Comprehensive Total Cost of Ownership Quantification for Vehicles with Different Size Classes and Powertrains*. No. ANL/ESD-21/4. Argonne National Lab.(ANL), Argonne, IL (United States), 2021.
7. "IRC 30d New Qualified Plug-in Electric Drive Motor Vehicle Credit." *Internal Revenue Service*, 15 Feb. 2022, <https://www.irs.gov/businesses/irc-30d-new-qualified-plug-in-electric-drive-motor-vehicle-credit>.
8. Volcovici, Valerie. "Americans Demand Climate Action (as Long as It Doesn't COST Much): Reuters Poll." *Reuters*, Thomson Reuters, 26 June 2019, [www.reuters.com/article/us-usa-election-climatechange-idUSKCN1TR15W](http://www.reuters.com/article/us-usa-election-climatechange-idUSKCN1TR15W).
9. *The 2021 Long-Term Budget Outlook*, Congressional Budget Office, March, 2021. <https://www.cbo.gov/publication/57038>.
10. Nunes, Ashley, Lucas Woodley, and Philip Rossetti. "Re-thinking procurement incentives for electric vehicles to achieve net-zero emissions." *Nature Sustainability* (2022): 1-6.
11. "Plug-in Electric Vehicle Manufacturer Crosses 200,000 Sold Threshold; Tax Credit for Eligible Consumers Begins Phase down on April 1." *Internal Revenue Service*, 23 Nov. 2021, <https://www.irs.gov/newsroom/plug-in-electric-vehicle-manufacturer-crosses-200000-sold-threshold-tax-credit-for-eligible-consumers-begins-phase-down-on-april-1>.
12. Stocking, Andrew, Joseph Kile, and David Moore. "Energy Security in the United States." (2012).

13. Gillingham, Kenneth, and James H. Stock. "The cost of reducing greenhouse gas emissions." *Journal of Economic Perspectives* 32.4 (2018): 53-72.
14. MIT Energy Initiative. *Insights into Future Mobility*. MIT Energy Initiative, Nov. 2019, <http://energy.mit.edu/insightsintofuturemobility>.
15. Lutsey, Nic, and Michael Nicholas. "Update on electric vehicle costs in the United States through 2030." *The International Council on Clean Transportation* 2 (2019).
16. "The Greenhouse Gases, Regulated Emissions, and Energy Use in Technologies Model." *Argonne National Laboratory*, 9 Oct. 2020, [greet.es.anl.gov/](http://greet.es.anl.gov/).
17. Mitropoulos, Lambros K., Panos D. Prevedouros, and Pantelis Kopelias. "Total cost of ownership and externalities of conventional, hybrid and electric vehicle." *Transportation research procedia* 24 (2017): 267-274.
18. Davis, Lucas W. "How much are electric vehicles driven?." *Applied economics letters* 26.18 (2019): 1497-1502.
19. Burlig, Fiona, et al. "Low energy: Estimating electric vehicle electricity use." *AEA Papers and Proceedings*. Vol. 111. 2021.
20. Chakraborty, Debapriya, Scott Hardman, and Gil Tal. "Integrating plug-in electric vehicles (PEVs) into household fleets-factors influencing miles traveled by PEV owners in California." *Travel Behaviour and Society* 26 (2022): 67-83.
21. Jia, Wenjian, and T. Donna Chen. "Beyond Adoption: Examining Electric Vehicle Miles Traveled in Households with Zero-Emission Vehicles." *Transportation Research Record* (2022): 03611981221082536.
22. Hawkins, Troy R., et al. "Comparative environmental life cycle assessment of conventional and electric vehicles." *Journal of industrial ecology* 17.1 (2013): 53-64.
23. Dillman, Kevin Joseph, et al. "Review and meta-analysis of EVs: Embodied emissions and environmental breakeven." *Sustainability* 12.22 (2020): 9390.
24. Marmioli, Benedetta, et al. "Electricity generation in LCA of electric vehicles: A review." *Applied Sciences* 8.8 (2018): 1384.
25. Heywood, John, et al. "On the road toward 2050: Potential for substantial reductions in light-duty vehicle energy use and greenhouse gas emissions." *Massachusetts Institute of Technology Sloan Automotive Laboratory, Engineering System Division* (2015).



26. Lu, S. "Vehicle Survivability and Travel Mileage Schedules." *TRID*, National Highway Traffic Safety Administration, Jan. 2006, <https://trid.trb.org/view/782324>.
27. "Average Age of Automobiles and Trucks in Operation in the United States." *Average Age of Automobiles and Trucks in Operation in the United States | Bureau of Transportation Statistics*, United States Department of Transportation, 2022, <https://www.bts.gov/content/average-age-automobiles-and-trucks-operation-united-states#:~:text=2018%2D19%3A%20IHS%20Markit%20Co,%2Dmarkit%2D%20as%20of%20Sep>.
28. "Maps and Data - Average Annual Vehicle Miles Traveled by Major Vehicle Category." *Alternative Fuels Data Center: Maps and Data - Average Annual Vehicle Miles Traveled by Major Vehicle Category*, United States Department of Energy, 2020, <https://afdc.energy.gov/data/10309>.
29. Archsmith, James, Alissa Kendall, and David Rapson. "From cradle to junkyard: assessing the life cycle greenhouse gas benefits of electric vehicles." *Research in Transportation Economics* 52 (2015): 72-90.
30. Palmer, Kate, et al. "Total cost of ownership and market share for hybrid and electric vehicles in the UK, US and Japan." *Applied energy* 209 (2018): 108-119.
31. Wu, Geng, Alessandro Inderbitzin, and Catharina Bening. "Total cost of ownership of electric vehicles compared to conventional vehicles: A probabilistic analysis and projection across market segments." *Energy Policy* 80 (2015): 196-214.
32. Qiao, Qinyu, et al. "Life cycle cost and GHG emission benefits of electric vehicles in China." *Transportation Research Part D: Transport and Environment* 86 (2020): 102418.
33. Creti, Anna, et al. *A cost benefit analysis of fuel cell electric vehicles*. Diss. -, 2015.
34. White, Lee V., and Nicole D. Sintov. "You are what you drive: Environmentalist and social innovator symbolism drives electric vehicle adoption intentions." *Transportation Research Part A: Policy and Practice* 99 (2017): 94-113.
35. Neumann, Isabel, et al. "Electric vehicles as a solution for green driving in the future? A field study examining the user acceptance of electric vehicles." *Proceedings of the European Conference on Human Interface Design for Intelligent Transport Systems, Berlin, Germany*. 2010.
36. Saccani, Nicola, Marco Perona, and Andrea Bacchetti. "The total cost of ownership of durable consumer goods: A conceptual model and an empirical application." *International Journal of Production Economics* 183 (2017): 1-13.
37. Walker, Paul D., and Holger M. Roser. "Energy consumption and cost analysis of hybrid electric powertrain configurations for two wheelers." *Applied Energy* 146 (2015): 279-287.

38. Rasbash, Daniel, et al. "A National and Regional Greenhouse Gas Breakeven Assessment of EVs across North America." *Sustainability* 15.3 (2023): 2181.
39. Woody, Maxwell, et al. "The role of pickup truck electrification in the decarbonization of light-duty vehicles." *Environmental Research Letters* 17.3 (2022): 034031.
40. Vega-Perkins, Jesse, Joshua P. Newell, and Gregory Keoleian. "Mapping electric vehicle impacts: greenhouse gas emissions, fuel costs, and energy justice in the United States." *Environmental Research Letters* 18.1 (2023): 014027.
41. Verma, Shrey, Gaurav Dwivedi, and Puneet Verma. "Life cycle assessment of electric vehicles in comparison to combustion engine vehicles: A review." *Materials Today: Proceedings* 49 (2022): 217-222.
42. Wassiliadis, Nikolaos, et al. "Quantifying the state of the art of electric powertrains in battery electric vehicles: Range, efficiency, and lifetime from component to system level of the Volkswagen ID. 3." *eTransportation* 12 (2022): 100167.
43. De Gennaro, Michele, et al. "A case study to predict the capacity fade of the battery of electrified vehicles in real-world use conditions." *Case Studies on Transport Policy* 8.2 (2020): 517-534.
44. Liang, Lu, and Peng Gong. "Urban and air pollution: a multi-city study of long-term effects of urban landscape patterns on air quality trends." *Scientific Reports* 10.1 (2020): 1-13.
45. "Cities and Climate Change." *UNEP*, United Nations Environment Programme, 2021, <https://www.unep.org/explore-topics/resource-efficiency/what-we-do/cities/cities-and-climate-change>.
46. "Urban Development." *World Bank*, World Bank, 2022, <https://www.worldbank.org/en/topic/urbandevelopment/overview>.
47. Schoch, Jennifer, et al. "Enhancing electric vehicle sustainability through battery life optimal charging." *Transportation Research Part B: Methodological* 112 (2018): 1-18.
48. Spotnitz, Robert. "Simulation of capacity fade in lithium-ion batteries." *Journal of power sources* 113.1 (2003): 72-80.
49. Patil, Tejas-Dilipsing, et al. "Sensitivity Analysis of Battery Aging for Model-Based PHEV Use Scenarios." *Energies* 16.4 (2023): 1749.
50. Bernau, Alan. "The Best-Selling Car Model Every Year since 1978 in the United States." *Alan's Factory Outlet*, 2021, <https://alansfactoryoutlet.com/the-best-selling-car-model-every-year-since-1978-in-the-united-states/>.

51. Lorio, Joe, et al. "Best-Selling Car the Year You Graduated High School: 1978 to Today." *Car and Driver*, Car and Driver, 11 Jan. 2022, <https://www.caranddriver.com/features/g24403577/best-selling-car-annually/>.
52. "Electric Vehicles and Fuel Economy: A Nationally Representative Multi-Mode Survey." *Consumer Reports*, Consumer Reports, 2020, [https://article.images.consumerreports.org/prod/content/dam/surveys/Consumer\\_Reports\\_Electric\\_Vehicles\\_Fuel\\_Economy\\_National\\_August\\_2020](https://article.images.consumerreports.org/prod/content/dam/surveys/Consumer_Reports_Electric_Vehicles_Fuel_Economy_National_August_2020).
53. Klemola, Kimmo. "Life-Cycle Impacts of Tesla Model S 85 and Volkswagen Passat". *Life-Cycle Impacts of Tesla Model S 85 and Volkswagen Passat*, 2016, [www.kimmoklemola.fi/data/documents/SF-comparison-USA-20160110.pdf](http://www.kimmoklemola.fi/data/documents/SF-comparison-USA-20160110.pdf).
54. Propfe, Bernd, et al. "Cost analysis of plug-in hybrid electric vehicles including maintenance & repair costs and resale values." *World Electric Vehicle Journal* 5.4 (2012): 886-895.
55. Breetz, Hanna L., and Deborah Salon. "Do electric vehicles need subsidies? Ownership costs for conventional, hybrid, and electric vehicles in 14 US cities." *Energy Policy* 120 (2018): 238-249.
56. Stroe, Daniel-Ioan, and Erik Schaltz. "SOH estimation of LMO/NMC-based electric vehicle lithium-ion batteries using the incremental capacity analysis technique." 2018 IEEE Energy Conversion Congress and Exposition (ECCE). IEEE, 2018.
57. Kleiner, Florian, and Horst E. Friedrich. "Maintenance & repair cost calculation and assessment of resale value for different alternative commercial vehicle powertrain technologies." (2017).
58. Feng, Wei, and Miguel A. Figliozzi. "Conventional vs electric commercial vehicle fleets: A case study of economic and technological factors affecting the competitiveness of electric commercial vehicles in the USA." *Procedia-Social and behavioral sciences* 39 (2012): 702-711.
59. "Vehicles Getting Older: Average Age of Light Cars and Trucks in U.S. Rises Again in 2016 to 11.6 Years, IHS Markit Says." *News Release | IHS Markit Online Newsroom*, 22 Nov. 2016, [news.ihsmarkit.com/prviewer/release\\_only/slug/automotive-vehicles-getting-older-average-age-light-cars-and-trucks-us-rises-again-2016](https://news.ihsmarkit.com/prviewer/release_only/slug/automotive-vehicles-getting-older-average-age-light-cars-and-trucks-us-rises-again-2016).
60. "Compare Side-by-Side." *Fueleconomy.gov*, United States Environmental Protection Agency, 2018, [www.fueleconomy.gov/feg/Find.do?action=sbs&id=40044](http://www.fueleconomy.gov/feg/Find.do?action=sbs&id=40044).
61. "Technology." *EPA Green Vehicle Guide*, Environmental Protection Agency, 2016, <https://www3.epa.gov/otaq/gvg/learn-more-technology.htm>.
62. Nealer, Rachael, et al. "Cleaner Cars from Cradle to Grave." Union of Concerned Scientists, Nov. 2015.

63. Qiao, Qinyu, et al. "Cradle-to-gate greenhouse gas emissions of battery electric and internal combustion engine vehicles in China." *Applied energy* 204 (2017): 1399-1411.
64. Dunn, Jennifer B., et al. "Life cycle analysis summary for automotive lithium-ion battery production and recycling." *REWAS 2016*. Springer, Cham, 2016. 73-79.
65. Hummel, Patrick, et al. "Q-Series. UBS Evidence Lab Electric Car Teardown—Disruption Ahead." *Basel, Switzerland*. <https://neo.ubs.com/shared/d1ZTxnvF2k> (2017).
66. "Federal Tax Credits for Electric and Plug-in Hybrid Cars." *Www.fueleconomy.gov*, United States Department of Energy, 25 Jan. 2022, <https://www.fueleconomy.gov/feg/taxevb.shtml>.
67. *Cost of Car Ownership: Everything You Need to Know*. Car and Driver, 29 Nov. 2021, <https://www.caranddriver.com/research/a31267529/cost-of-car-ownership/>.
68. Brennan, Rachael. "Car Insurance for Electric Vehicles." *Policygenius*, 21 Jan. 2022, <https://www.policygenius.com/auto-insurance/car-insurance-for-electric-vehicles/>.
69. Harto, Chris. "Electric Vehicle Owners Spending Half as Much on Maintenance Compared to Gas-Powered Vehicle Owners, Finds New CR Analysis." *CR Advocacy*, Consumer Reports, 24 Sept. 2020, [https://advocacy.consumerreports.org/press\\_release/electric-vehicle-owners-spending-half-as-much-on-maintenance-compared-to-gas-powered-vehicle-owners-finds-new-cr-analysis/](https://advocacy.consumerreports.org/press_release/electric-vehicle-owners-spending-half-as-much-on-maintenance-compared-to-gas-powered-vehicle-owners-finds-new-cr-analysis/).
70. "Average Energy Prices for the United States, Regions, Census Divisions, and Selected Metropolitan Areas." *U.S. Bureau of Labor Statistics*, U.S. Bureau of Labor Statistics, 2021, [https://www.bls.gov/regions/midwest/data/averageenergyprices\\_selectedareas\\_table.htm](https://www.bls.gov/regions/midwest/data/averageenergyprices_selectedareas_table.htm).
71. "OMB Circular A-94 Guidelines and Discount Rates for Benefit-Cost Analysis of Federal Programs." *WBDG*, National Institute of Building Sciences, 1 Nov. 2015, <https://www.wbdg.org/ffc/fed/omb-circulars/a94>.
72. Yang, Fan, et al. "Considering battery degradation in life cycle greenhouse gas emission analysis of electric vehicles." *Procedia CIRP* 69 (2018): 505-510.
73. Krupp, Amelie, et al. "Calendar aging model for lithium-ion batteries considering the influence of cell characterization." *Journal of Energy Storage* (2021): 103506.
74. Micari, S., et al. "Reliability assessment and lifetime prediction of Li-ion batteries for electric vehicles." *Electrical Engineering* 104.1 (2022): 165-177.
75. Clifford, Catherine. *How Higher and More Volatile Energy Prices Will Affect the Move to Clean Energy*. CNBC, 17 Mar. 2022, <https://www.cnbc.com/2022/03/17/what-higher-volatile-energy-prices-mean-for-clean-energy-transition.html>.

76. Prud'homme, Rémy, and Martin Koning. "Electric vehicles: A tentative economic and environmental evaluation." *Transport Policy* 23 (2012): 60-69.
77. Elgowainy, Amgad, et al. "Current and future United States light-duty vehicle pathways: cradle-to-grave lifecycle greenhouse gas emissions and economic assessment." *Environmental science & technology* 52.4 (2018): 2392-2399.
78. Danielis, Romeo, Marco Giansoldati, and Lucia Rotaris. "A probabilistic total cost of ownership model to evaluate the current and future prospects of electric cars uptake in Italy." *Energy Policy* 119 (2018): 268-281.
79. "Qualified Plug-in Electric Vehicle (PEV) Tax Credit." *Alternative Fuels Data Center*, United States Department of Energy, <https://afdc.energy.gov/laws/409>.
80. Mutarraf, Muhammad Umair, et al. "Electric cars, ships, and their charging infrastructure—A comprehensive review." *Sustainable Energy Technologies and Assessments* 52 (2022): 102177.
81. Nunes, Ashley, and Kristen D. Hernandez. "Autonomous taxis & public health: High cost or high opportunity cost?." *Transportation Research Part A: Policy and Practice* 138 (2020): 28-36.
82. "The Plug-in Electric Vehicle Tax Credit - Congress." *CRSReports*, Congressional Research Service, 2019, <https://crsreports.congress.gov/product/pdf/IF/IF11017>.
83. Pucher, John, and John L. Renne. "Rural mobility and mode choice: Evidence from the 2001 National Household Travel Survey." *Transportation* 32.2 (2005): 165-186.
84. Mishel, Lawrence. "Uber and the Labor Market: Uber Drivers' Compensation, Wages, and the Scale of Uber and the Gig Economy." *Economic Policy Institute*, 15 May 2018, <https://www.epi.org/publication/uber-and-the-labor-market-uber-drivers-compensation-wages-and-the-scale-of-uber-and-the-gig-economy/>.
85. Campbell, Harry. "Lyft & Uber Driver Survey 2020: Uber Driver Satisfaction Takes a Big Hit." *The Rideshare Guy*, 24 Feb. 2021, <https://therideshareguy.com/uber-driver-survey/>.
86. Shoja Rani, B. N. "Socio-Economic Analysis of Uber Taxi Drivers in Kerala-A Study with Special Reference to Ernakulam District." *Shanlax International Journal of Economics* 6.4 (2018): 1-4.
87. Rogers, Brishen. "The social costs of Uber." *U. Chi. L. Rev. Dialogue* 82 (2015): 85.
88. Kooti, Farshad, et al. "Analyzing Uber's ride-sharing economy." *Proceedings of the 26th International Conference on World Wide Web Companion*. 2017.
89. Nunes, Ashley, and Lucas Woodley. "Governments should optimize electric vehicle subsidies." *Nature Human Behaviour* (2023): 1-2.

90. "Labor Force Characteristics by Race and Ethnicity, 2018." *U.S. Bureau of Labor Statistics*, U.S. Bureau of Labor Statistics, 1 Oct. 2019, <https://www.bls.gov/opub/reports/race-and-ethnicity/2018/home.htm>.
91. Hall, Jonathan V., and Alan B. Krueger. "An analysis of the labor market for Uber's driver-partners in the United States." *Ilr Review* 71.3 (2018): 705-732.
92. Quintana, Stephen M., and Lana Mahgoub. "Ethnic and racial disparities in education: Psychology's role in understanding and reducing disparities." *Theory Into Practice* 55.2 (2016): 94-103.
93. LaVeist, Thomas A. "Disentangling race and socioeconomic status: a key to understanding health inequalities." *Journal of Urban Health* 82 (2005): iii26-iii34.
94. Mattioli, Giulio. "" Forced car ownership" in the UK and Germany: socio-spatial patterns and potential economic stress impacts." *Social Inclusion* 5.4 (2017): 147-160.
95. Mattioli, Giulio. "Where sustainable transport and social exclusion meet: Households without cars and car dependence in Great Britain." *Journal of Environmental Policy & Planning* 16.3 (2014): 379-400.
96. Mattioli, Giulio, and Matteo Colleoni. "Transport disadvantage, car dependence and urban form." *Understanding mobilities for designing contemporary cities* (2016): 171-190.
97. Guzman, Luis A., and Juan P. Bocarejo. "Urban form and spatial urban equity in Bogota, Colombia." *Transportation research procedia* 25 (2017): 4491-4506.
98. "Passenger Vehicle Drivers : Occupational Outlook Handbook." *U.S. Bureau of Labor Statistics*, U.S. Bureau of Labor Statistics, 18 Apr. 2022, <https://www.bls.gov/ooh/transportation-and-material-moving/passenger-vehicle-drivers.htm>.
99. Cooper, James, and Ray Mundy. *Taxi! Urban economies and the social and transport impacts of the taxicab*. Routledge, 2016.
100. Bauer, Gordon, Chih-Wei Hsu, and Nic Lutsey. "When might lower-income drivers benefit from electric vehicles? Quantifying the economic equity implications of electric vehicle adoption." *Work. Pap* 6 (2021).
101. "Consumer Expenditure Surveys." *U.S. Bureau of Labor Statistics*, U.S. Bureau of Labor Statistics, 2022, <https://www.bls.gov/cex/>.
102. "Ethnic and Racial Minorities & Socioeconomic Status." *American Psychological Association*, July 2017, <https://www.apa.org/pi/ses/resources/publications/minorities>.

103. Williams, David R., et al. "Race, socioeconomic status, and health: complexities, ongoing challenges, and research opportunities." *Annals of the New York Academy of Sciences* 1186.1 (2010): 69-101.
104. Gearino, Dan. "Inside Clean Energy: Batteries Got Cheaper in 2021. so How Close Are We to EVs That Cost Less than Gasoline Vehicles?" *Inside Climate News*, 9 Dec. 2021, <https://insideclimatenews.org/news/09122021/inside-clean-energy-batteries-electric-vehicles-gasoline/>.
105. Leng, Feng, Cher Ming Tan, and Michael Pecht. "Effect of temperature on the aging rate of Li ion battery operating above room temperature." *Scientific reports* 5.1 (2015): 1-12.
106. Lohse-Busch, Henning, et al. *Ambient temperature (20 F, 72 F and 95 F) impact on fuel and energy consumption for several conventional vehicles, hybrid and plug-in hybrid electric vehicles and battery electric vehicles*. No. 2013-01-1462. SAE Technical Paper, 2013.
107. Shafique, Muhammad, and Xiaowei Luo. "Environmental life cycle assessment of battery electric vehicles from the current and future energy mix perspective." *Journal of Environmental Management* 303 (2022): 114050.
108. Sovacool, Benjamin K., et al. "Energy injustice and Nordic electric mobility: Inequality, elitism, and externalities in the electrification of vehicle-to-grid (V2G) transport." *Ecological economics* 157 (2019): 205-217.
109. Xing, Jianwei, Benjamin Leard, and Shanjun Li. "What does an electric vehicle replace?." *Journal of Environmental Economics and Management* 107 (2021): 102432.
110. Archsmith, James, Erich Muehlegger, and David S. Rapson. "Future Paths of Electric Vehicle Adoption in the United States: Predictable Determinants, Obstacles, and Opportunities." *Environmental and Energy Policy and the Economy* 3.1 (2022): 71-110.
111. *Highlights of the Automotive Trends Report*. Environmental Protection Agency, Dec. 2022, <https://www.epa.gov/automotive-trends/highlights-automotive-trends-report#:~:text=In%20model%20year%202021%2C%20sedans,increased%20to%2016%25%20market%20share.>
112. "Alternative Fuel and Advanced Vehicle Search." *Alternative Fuels Data Center: Vehicle Search*, United States Department of Energy, 2022, <https://afdc.energy.gov/vehicles/search/>.
113. Almeida, Arminda, Nuno Sousa, and João Coutinho-Rodrigues. "Quest for sustainability: Life-cycle emissions assessment of electric vehicles considering newer Li-ion batteries." *Sustainability* 11.8 (2019): 2366.

114. García-Álvarez, María Teresa. "An assessment of supply-side and demand-side policies in EU-28 household electricity prices." *International Journal of Sustainable Energy Planning and Management* 26 (2020): 5-18.
115. Asheim, Geir B., et al. "The case for a supply-side climate treaty." *Science* 365.6451 (2019): 325-327.
116. Crespi, Gustavo, and Rafael Castillo. "Supply-side versus Demand-side Innovation Policies: Exploring the Impacts of Public Procurement of Innovation in Peru." (2022).
117. Reyes-Mercado, Pável, Adrianela Angeles, and Guillermo Jesús Larios-Hernández. "Demand-oriented innovation policy: Mapping the field and proposing a research agenda for developing countries." *Journal of Evolutionary Studies in Business* 5.1 (2020): 158-181.
118. Wagner, Gernot, et al. "Eight Priorities for Calculating the Social Cost of Carbon." *Nature*, vol. 590, no. 7847, 2021, pp. 548–550., <https://doi.org/10.1038/d41586-021-00441-0>.



## **Acknowledgements**

The findings and conclusions expressed here are solely those of the authors and may not represent the views of any affiliated organizations.

## **Supplementary Information**

In this document, we detail our analysis, choice of assumptions, and sensitivity tests. In Section I, we outline our approach to estimating emissions profiles for electric vehicles (EVs) and internal combustion engine vehicles (ICEVs). In Section II, we detail our total cost of ownership (TCO) analysis. Finally in Section III, we describe our abatement cost analysis.

### **Section I**

Here, we estimate the lifecycle emissions tradeoff between purchasing a new EV versus ICEV. Leveraging existing methodology (1,2), we first estimate per-mile emissions, accounting for vehicle manufacturing emissions, fuel usage and production emissions, fuel efficiency, aggregate utilization, and energy per gallon of gasoline using Equation 1.0:

$$E_{PM} = \frac{((e_{vm} * 1,000,000) + e_{vd} + e_{mr})}{au} + \left( \frac{1}{FE} * \left( \frac{e_{fp}}{MJ_E} + \frac{e_{fu}}{MJ_E} \right) * EC_G \right) \quad (1.0)$$

where  $E_{PM}$  = emissions per mile (g CO<sub>2</sub>e/mi.);  $e_{vm}$  = vehicle manufacturing emissions (metric tons CO<sub>2</sub>-equivalent (CO<sub>2</sub>e));  $e_{vd}$  = emissions from end-of-life vehicle disposal;  $e_{mr}$  = emissions from vehicle maintenance and repair;  $au$  = aggregate utilization (miles);  $FE$  = vehicle fuel efficiency (miles per gallon-equivalent (MPGe));  $\frac{e_{fp}}{MJ_E}$  = fuel production emissions (g CO<sub>2</sub>e per megajoule of energy);  $\frac{e_{fu}}{MJ_E}$  = fuel usage emissions (g CO<sub>2</sub>e per megajoule of energy); and  $EC_G$  = energy content of gasoline (lower heating value) (1,2). Vehicle maintenance and end-of-life disposal emissions are assumed to approximate zero for ICEVs and EVs owing to their relative insignificance (3).

After estimating EV and ICEV per-mile emissions, we subsequently calculate total emissions using Equation 2.0:

$$E_{PV} = \frac{au}{1,000,000} * E_{PM} \quad (2.0)$$

where  $E_{PV}$  = emissions per vehicle (tons CO<sub>2</sub>e);  $au$  = aggregate utilization (miles); and  $E_{PM}$  = per-mile emissions (g CO<sub>2</sub>e/mi.), calculated using Equation 1.0 (2).

To minimize non-powertrain differences, we focus our emissions analysis on two representative mid-size sedans (4); namely, the 2018 Honda Clarity BEV and Toyota Camry ICEV, which have 115 and 117 ft<sup>3</sup> of internal volume, respectively (1,5). We emphasize these two models as the Toyota Camry had the highest annual sales of any mid-size sedan in 2018 (6,7), and the Honda Clarity BEV was the most similarly sized EV available. Importantly, both vehicles are also – from a financial perspective – less cost prohibitive than luxury vehicles, thus facilitating greater applicability of our estimates to broad consumer adoption. Additionally, sedans represent the greatest number of available EV types (8), thereby offering the greatest variety of choices to potential EV owners.

Where possible, we leverage estimates derived in publicly available data and existing literature to inform our model. For example, we assume an ICEV fuel efficiency of 34 miles per gallon (MPG), as recent work suggests EVs replace relatively fuel-efficient counterfactual vehicles (9). However, EV manufacturing emissions are also adjusted to allow for range comparable to an ICEV's; namely, we

assume usage of an 85-kWh lithium cobalt oxide battery. This increases the EV's range to 265 miles, thereby mitigating potential range anxiety (1,2).

We caution against ignoring range anxiety, which presents three key challenges. First, additional financial incentives would likely be required to stimulate EV sales, as range anxiety can prevent EV adoption (10). Second, additional public spending could prove necessary to subsidize access to and development of public charging stations, a likely prerequisite to satisfying travel demand with short-range EVs (11). Third and finally, were current charging infrastructure to persist, EVs may struggle to satisfy household travel demand, leading to reduced annual/aggregate utilization (11).

Given these considerations, our model provides estimates of emissions tradeoffs between EVs and ICEVs which are (1) standardized for vehicle size, (2) plausible targets – from an initial purchase price perspective – for broad consumer adoption, and (3) adjusted to avoid the pernicious influence of range anxiety (see Table 1, Main Paper for our emissions estimates).

After estimating lifecycle emissions using Equations 1.0 and 2.0, we estimate the emissions benefit realized by purchasing an EV as a function of aggregate utilization. Initially, we do not account for battery replacements and assume the counterfactual ICEV travels a total of 180,000 miles (1). To estimate the requisite aggregate utilization threshold for EVs to achieve equivalent per-mile emissions, we use the following equation:

$$ED = PME_{ICEV,c} - PME_{EV,t} \quad (3.0)$$

where  $ED$  = EV-versus-ICEV emissions difference (g CO<sub>2</sub>e/mi.);  $PME_{ICEV,c}$  = ICEV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $c$  miles travelled, calculated using Equation 1.0, where  $c$  is held constant at 180,000; and  $PME_{EV,t}$  = EV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $t$  miles travelled, calculated using Equation 1.0. We define our requisite aggregate utilization threshold where  $ED = 0$ . When  $c = 180,000$ , the corresponding aggregate utilization threshold is 55,749 miles.

We then redefine Equation 3.0 to assume aggregate utilization parity between EVs and ICEVs, which produces Equation 3.1:

$$ED = PME_{ICEV,t} - PME_{EV,t} \quad (3.1)$$

where  $ED$  = EV-versus-ICEV emissions difference (g CO<sub>2</sub>e/mi.);  $PME_{ICEV,t}$  = ICEV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $t$  miles travelled, calculated using Equation 1.0; and  $PME_{EV,t}$  = EV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $t$  miles travelled, calculated using Equation 1.0.

To account for battery replacements, we leverage previous work (12) to estimate battery longevity as a function of annual utilization. Based on existing results, we estimate a simple polynomial regression to analyze the relationship between utilization rate and battery longevity. We account for potential imprecision in our estimates – owing to limitations in data availability – by assessing battery longevity using linear, quadratic, and polynomial regressions.

We focus our subsequent analysis on the most durable, affordable, and common EV battery composition: NCM-LMO (1,12-13). Among NCM-LMO batteries, we find that regression specification does not meaningfully impact our results. The largest difference in estimated battery longevity given

average annual utilization rates (14) is less than 6,000 miles, which is less than 10 percent of our total estimates. We show the effects on lifecycle emissions of such an adjustment to battery longevity via our sensitivity analysis (see Section 1.1 for details).

Based on our model of battery longevity, we adjust Equation 1.0 to account for lifecycle emissions from necessary EV battery replacements:

$$E_{PM} = \frac{((e_{vm} * 1,000,000) + e_{vd} + e_{mr})}{au} + \left( \frac{1}{FE} * \left( \frac{e_{fp}}{MJ_E} + \frac{e_{fu}}{MJ_E} \right) * EC_G \right) + \left( \left[ \frac{au}{BatLife\left(\frac{AnnVMT}{12}\right)} - 1 \right] * BatSize * Bat_e * 1,000 \right) \quad (1.1)$$

where  $E_{PM}$  = emissions per mile (g CO<sub>2</sub>e/mi.);  $e_{vm}$  = vehicle manufacturing emissions (metric tons CO<sub>2</sub>-equivalent (CO<sub>2</sub>e));  $e_{vd}$  = emissions from end-of-life vehicle disposal;  $e_{mr}$  = emissions from vehicle maintenance and repair;  $au$  = aggregate utilization (miles);  $FE$  = vehicle fuel efficiency (miles per gallon-equivalent (MPGe));  $\frac{e_{fp}}{MJ_E}$  = fuel production emissions (g CO<sub>2</sub>e per megajoule of energy);  $\frac{e_{fu}}{MJ_E}$  = fuel usage emissions (g CO<sub>2</sub>e per megajoule of energy);  $EC_G$  = energy content of gasoline (lower heating value);  $BatLife\left(\frac{AnnVMT}{12}\right)$  = battery lifespan (miles) as a function of annual utilization;  $BatSize$  = EV battery size (kWh); and  $Bat_e$  = emissions from battery replacement (kg CO<sub>2</sub>e/kWh).

Using Equations 1.1 and 3.0, we re-estimate EVs' requisite aggregate utilization threshold to achieve per-mile emissions parity with an ICEV travelling 180,000 over its lifetime, accounting for necessary battery replacements. We subsequently reassess the requisite utilization threshold assuming aggregate utilization parity between EVs and ICEVs using Equations 1.1, 2.0, and 3.1 to achieve per-mile and total emissions parity.

### Section 1.1: Emissions Sensitivity Analysis

In this section, we estimate the sensitivity of our emissions results in response to independent changes to each parameter. For every input, we show the effect of a 1%, 5%, and 10% change using the following equation:

$$\Delta ED_t = \frac{ED_t(p_1) - ED_t(p_0)}{ED_t(p_0)} \quad (4.0)$$

where  $\Delta ED_t$  = % change in emissions difference with  $t$  miles travelled;  $ED_t(p_0)$  = total emissions difference given the initial value of parameter  $p$ , calculated using Equations 1.1, 2.0, and 3.1; and  $ED_t(p_1)$  = total emissions difference given the adjusted value of parameter  $p$ , calculated using Equations 1.1, 2.0, and 3.1. We show our sensitivity estimates in Table 2.1.

	Difference in Lifecycle Emissions (ICEV - EV)			
	1% Change	5% Change	10% Change	Parameter Increase/Decrease
<b>Annual Utilization (mi.)</b>	0.14 1.71	0.68 8.53	1.35 17.06	<i>Increase</i>
<b>Aggregate Utilization (mi.)</b>	0.14 1.71	0.68 8.53	1.35 17.06	<i>Increase</i>
<b>ICEV Fuel Efficiency (mi./gal.)</b>	-0.22 -2.78	-1.06 -13.37	-2.02 -25.53	<i>Increase</i>
<b>EV Fuel Efficiency (mi./gallon-equivalent)</b>	0.09 1.09	0.42 5.24	0.79 10.01	<i>Increase</i>
<b>EV Vehicle Manufacturing Emissions (tons CO<sub>2</sub>e)</b>	0.14 1.72	0.68 8.58	1.36 17.16	<i>Decrease</i>
<b>ICEV Vehicle Manufacturing Emissions (tons CO<sub>2</sub>e)</b>	-0.08 -1.01	-0.40 -5.05	-0.80 -10.09	<i>Decrease</i>
<b>EV Fuel Production Emissions (g CO<sub>2</sub>e/MJ)</b>	0.09 1.10	0.44 5.51	0.87 11.01	<i>Decrease</i>
<b>ICEV Fuel Production Emissions (g CO<sub>2</sub>e/MJ)</b>	-0.05 -0.58	-0.23 -2.90	-0.46 -5.80	<i>Decrease</i>
<b>ICEV Fuel Usage Emissions (g CO<sub>2</sub>e/MJ)</b>	-0.18 -2.23	-0.88 -11.14	-1.77 -22.28	<i>Decrease</i>
<b>Replacement Battery Manufacturing Emissions (g CO<sub>2</sub>e/mi.)</b>	0.00 0.00	0.00 0.00	0.00 0.00	<i>Decrease</i>
<b>Battery Lifespan (mi.)</b>	0.00 0.00	0.00 0.00	0.00 0.00	<i>Increase</i>

Note: For each scenario, the absolute change in total lifecycle emissions difference (ICEV emissions – EV emissions) resulting from a 1%, 5%, or 10% change in each input parameter (t CO<sub>2</sub>e) is shown on the top line. Relative changes (%) are displayed on the lower line. The rightmost column denotes whether each parameter was increased or decreased. Initial emissions differences presume average utilization and vehicle ownership behaviors (14-15). Changes to EV Fuel Production Emissions refer to the average emissions factor associated with electricity generation.

**Table 2.1: Sensitivity Analysis - Lifecycle Emissions Difference**

## Section II

In this section, we estimate EV and ICEV TCOs. To do so, we employ models derived in previous works (1,16) combined with our battery longevity estimates (Section I). We account for vehicle purchase price (MSRP), resale value, fuel efficiency, fuel price, maintenance costs, repair costs, insurance costs, annual taxes and fees, sales tax, title fees, and EV battery replacements in our analysis (see Equations 5.0 and 5.1).

$$TCO_{EV} = (MSRP_{EV} + (MSRP_{EV} * \frac{Tax}{100}) + TitleFee + (\sum_{k=1}^n \frac{((Elec\$ * \frac{AnnVMT}{MPK}) + AnnFees + AnnInsur_{EV} + (MR_{EV} * AnnVMT))}{(1+DiscRate)^k}) - \frac{((MSRP_{EV}) * DepRate^n)}{(1+DiscRate)^n}) + (\left( \frac{AnnVMT * n}{BatLife(\frac{AnnVMT}{12})} - 1 \right) * BatSize * BatCost) \quad (5.0)$$

where  $MSRP_{EV}$  = EV purchase price (\$); Tax = sales tax (%); TitleFee = vehicle title fee (\$); Elec\$ = average cost of electricity (\$/kWh); AnnVMT = annual vehicle utilization (mi./year); MPK = miles per kilowatt hour; AnnFees = annual taxes and fees including registration, license plate, and inspection fees (\$/year); AnnInsur<sub>EV</sub> = annual EV insurance costs (\$/year); MR<sub>EV</sub> = EV maintenance and repair costs (\$/mi.); DiscRate = annual discount rate; DepRate = remaining resale value (relative to the previous year);  $BatLife(\frac{AnnVMT}{12})$  = battery lifespan (miles) as a function of annual utilization; BatSize = EV battery size (kWh); BatCost = EV battery cost (\$/kWh); and  $n$  = ownership duration (years).

$$TCO_{ICEV} = (MSRP_{ICEV} + (MSRP_{ICEV} * \frac{Tax}{100}) + TitleFee + (\sum_{k=1}^n \frac{((Gas\$ * \frac{AnnVMT}{MPG}) + AnnFees + AnnInsur_{ICEV} + (MR_{ICEV} * AnnVMT))}{(1+DiscRate)^k}) - \frac{((MSRP_{ICEV}) * DepRate^n)}{(1+DiscRate)^n}) \quad (5.1)$$

where  $MSRP_{ICEV}$  = ICEV purchase price (\$); Tax = sales tax (%); TitleFee = vehicle title fee (\$); Gas\$ = average cost of gasoline (\$/gal.); AnnVMT = annual vehicle utilization (mi./year); MPG = miles per gallon; AnnFees = annual taxes and fees including registration, license plate, and inspection fees (\$/year); AnnInsur<sub>ICEV</sub> = annual ICEV insurance costs (\$/year); MR<sub>ICEV</sub> = ICEV maintenance and repair costs (\$/mi.); DiscRate = annual discount rate; DepRate = remaining resale value (relative to the previous year); and  $n$  = ownership duration (years).

After separately estimating EV and ICEV TCOs, we subsequently analyze the cost differential using Equation 6.0. Due to a dearth of existing literature analyzing TCOs for Honda Clarity BEVs, our model relies on financial assessments of Chevrolet Bolt and Nissan Leaf EVs, which well-approximate the overall costs of Honda Clarity and other non-luxury EVs (1,16). To address the potential impact of slight variations in our TCO estimates, we conduct sensitivity analysis for all key financial parameters (see Section 2.1 for details).

$$TCOD = TCO_{EV,t,n} - TCO_{ICEV,t,n} \quad (6.0)$$

where  $TCOD = EV\text{-}versus\text{-}ICEV\ TCO\ difference$ ;  $TCO_{EV,t,n} = EV\ TCO\ given\ t\ annual\ utilization\ and\ n\ years\ of\ ownership$ , calculated using Equation 5.0; and  $TCO_{ICEV,t,n} = ICEV\ TCO\ given\ t\ annual\ utilization\ and\ n\ years\ of\ ownership$ , calculated using Equation 5.1.

Using Equations 5.0, 5.1, and 6.0, we assess TCO differences for multiple ownership durations and annual utilization rates, with and without necessary battery replacement. Specifically, we analyze ownership periods between 6 and 12 years, which represent the average first and total ownership durations in the United States fleet, respectively (15,17). We also assess select annual utilizations ranging from 5,300 miles/year (18) to 90,000 miles/year (19). We present our results in Table 3.1.

Annual Utilization (mi./year)	Vehicle Length of Ownership (years)			
	6	8	10	12
5,300	9,169	10,913	23,966	25,106
	9,169	10,913	12,321	13,461
7,000	8,528	21,754	23,022	24,038
	8,528	10,109	11,377	12,393
10,000	7,396	20,337	21,354	22,153
	7,396	8,692	9,709	10,508
11,300	6,906	19,723	20,632	21,336
	6,906	8,078	8,987	9,691
15,000	5,510	17,975	18,576	19,010
	5,510	6,330	6,931	7,365
20,000	3,625	15,612	15,797	15,868
	3,625	3,967	4,152	4,223
45,000	-5,804	-7,844	-9,741	157
	-5,804	-7,844	-9,741	-11,488
90,000	-22,776	-29,106	-34,749	-39,769
	-22,776	-29,106	-34,749	-39,769

Note: The top line in each cell denotes the estimated TCO difference (EV – ICEV) assuming necessary battery replacements. The bottom line denotes estimated TCO differences without accounting for battery replacements. All TCO differences are expressed in US dollars and account for resale value as a function of ownership duration. Positive TCO differences imply EVs realize greater total costs than ICEVs; negative TCO differences suggest that EVs achieve a cost advantage over ICEVs.

**Table 3.1: TCO Differences**

Section 2.1: TCO Sensitivity Analysis

Here, we estimate the sensitivity of our TCO differences to potential 1%, 5%, and 10% changes in key financial inputs (see Table 4.1). To do so, we use the following equation:

$$\Delta TCO D = \frac{TCOD(m_1) - TCO D(m_0)}{TCOD(m_0)} \quad (7.0)$$

where  $\Delta TCO D$  = % change in EV-ICEV TCO difference;  $TCOD(p_0)$  = TCO difference given the initial value of parameter  $m$ , calculated using Equations 5.0, 5.1, and 6.0; and  $ED_t(p_1)$  = TCO difference given the new value of parameter  $m$ , calculated using Equations 5.0, 5.1, and 6.0.

	Difference in TCO (EV – ICEV)			Parameter Increase/Decrease
	1% Change	5% Change	10% Change	
<b>Annual Utilization (mi.)</b>	-42.56 -0.62	-213.09 -3.09	-426.17 -6.17	<i>Increase</i>
<b>Aggregate Utilization (mi.)</b>	-42.56 -0.62	-213.09 -3.09	-426.17 -6.17	<i>Increase</i>
<b>EV Remaining Resale Value (%)</b>	-1,103.51 -15.98	-6,100.40 -88.34	-6,464.14 -93.60	<i>Increase</i>
<b>ICEV Remaining Resale Value (%)</b>	712.52 10.32	3,938.94 57.04	4,173.80 60.44	<i>Increase</i>
<b>ICEV Fuel Efficiency (mi./gal.)</b>	50.03 0.72	240.64 3.48	459.41 6.65	<i>Increase</i>
<b>EV Fuel Efficiency (mi./kWh)</b>	-23.84 -0.35	-114.65 -1.66	-218.88 -3.17	<i>Increase</i>
<b>Average Electricity Cost (\$/kWh)</b>	-24.08 -0.35	-120.38 -1.74	-240.76 -3.49	<i>Decrease</i>
<b>Average Gasoline Cost (\$/gal.)</b>	50.54 0.73	252.68 3.66	505.35 7.32	<i>Decrease</i>
<b>EV MSRP (\$)</b>	-214.29 -3.10	-1,071.46 -15.52	-2,142.92 -31.03	<i>Decrease</i>
<b>ICEV MSRP (\$)</b>	138.27 2.00	691.83 10.02	1,383.65 20.04	<i>Decrease</i>
<b>Sales Tax (%)</b>	-9.73 -0.14	-48.66 -0.70	-97.31 -1.41	<i>Decrease</i>
<b>EV Maintenance &amp; Repair Costs (\$/mi.)</b>	-16.16 -0.23	-80.79 -1.17	-161.59 -2.34	<i>Decrease</i>



<b>ICEV Maintenance &amp; Repair Costs (\$/mi.)</b>	32.32 0.47	161.59 2.34	323.17 4.68	<i>Decrease</i>
<b>EV Annual Insurance (\$/year)</b>	-114.40 -1.66	-571.98 -8.28	-1,143.97 -16.57	<i>Decrease</i>
<b>ICEV Annual Insurance (\$/year)</b>	78.65 1.14	393.24 5.69	786.48 11.39	<i>Decrease</i>
<b>Annual Discount Rate</b>	26.37 0.38	130.68 1.89	258.45 3.74	<i>Increase</i>

Note: For each scenario, we show absolute changes in TCO difference (EV – ICEV) associated with 1%, 5%, and 10% changes in each key input parameter on the top line, expressed in US dollars. The lower line shows relative changes (%). The rightmost column denotes whether each parameter was increased or decreased. Adjustments to Remaining Resale Value for both EVs and ICEVs are capped at 100% of the previous year’s value (i.e., no depreciation year over year). Initial TCO differences presume average utilization and vehicle ownership behaviors (14-15).

**Table 4.1: Sensitivity Analysis - TCO Difference**

### Section III

Here, we utilize our lifecycle emissions and TCO difference models to estimate abatement costs associate with several utilization levels and ownership durations. Given our emphasis on abatement cost as defined by the TCO differential between EVs and ICEVs, rather than the social cost of carbon, our TCO estimates also represents total abatement costs (and thus, requisite subsidies) in US dollars per vehicle (20).

However, to provide estimates which are comparable to alternative policy options (21), we also calculate abatement cost in US dollars per ton of CO<sub>2</sub> emissions reduced – relative to the counterfactual wherein an equivalent ICEV is purchased and utilized in place of an EV. To do so, we first modify Equation 3.1 to estimate the total emissions benefit EVs offer relative to ICEVs and subsequently use Equation 8.0 to estimate abatement cost:

$$ED = PME_{ICEV,t} - PME_{EV,t} \quad (3.1)$$

$$ED_{Total} = (PME_{ICEV,t} - PME_{EV,t}) * \frac{au}{1,000,000} \quad (3.2)$$

where  $ED$  = per-mile emissions difference (g CO<sub>2</sub>e/mi.);  $PME_{ICEV,t}$  = ICEV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $t$  miles travelled, calculated using Equation 1.0;  $PME_{EV,t}$  = EV per-mile emissions (g CO<sub>2</sub>e/mi.) given  $t$  miles travelled, calculated using Equation 1.0;  $au$  = aggregate utilization (miles); and  $ED_{Total}$  = total lifecycle emissions difference (tons CO<sub>2</sub>e);

$$AbateCost = \frac{TCOD}{ED_{Total}} \quad (8.0)$$

where  $AbateCost$  = abatement cost (\$/ton CO<sub>2</sub>e reduced);  $TCOD$  = TCO difference (EV TCO – ICEV TCO) (\$), estimated using Equations 5.0, 5.1, and 6.0; and  $ED_{Total}$  = total lifecycle emissions difference (ICEV emissions – EV emissions) (ton CO<sub>2</sub>e), estimated using Equations 1.0 and 1.1.

We then calculate the requisite aggregate utilization thresholds to satisfy given abatement cost targets by setting  $AbateCost$  equal to our target abatement cost,  $c$ , and solving for aggregate utilization, holding constant all other parameters – except for, implicitly, annual utilization. For example, increasing aggregate utilization from 100,000 to 200,000 miles - holding ownership duration constant at 5 years - implicitly raises annual utilization from 20,000 to 40,000 miles/year. We then repeat this process for TCO differences, estimating the requisite aggregate utilization to achieve select total abatement costs.

We present aggregate utilization thresholds to satisfy abatement cost targets ranging from \$50 - \$1,242/ton CO<sub>2</sub>e reduced for 6- and 12-year ownership periods. We also present our results with and without accounting for resale value, as vehicles which realize high aggregate utilization may – owing to their high mileage – lack resale value (19) (see Tables 8 and 9, Main Paper).

To estimate the efficiency of current policy, we first assess the implied abatement cost of EV procurement under two key assumptions: (1) existing federal incentives (i.e., a \$7,500 tax credit) are equivalent to the TCO difference between EVs and ICEVs – in short, this assumes the current magnitude of available incentives is set to an efficient level; and (2) current incentives induce EV adoption among

households representative of average utilization and ownership behaviors. We thus adjust Equation 8.0 accordingly:

$$AbateCost = \frac{TCOD}{ED_{Total}} \quad (8.0)$$

$$AbateCost = \frac{7,500}{ED_{Total}(au=c)} \quad (8.1)$$

where  $AbateCost$  = abatement cost (\$/ton CO<sub>2</sub>e reduced) and  $ED_{Total}$  = total lifecycle emissions difference (ICEV emissions – EV emissions) (ton CO<sub>2</sub>e), estimated using Equations 1.0 and 1.1, assuming an aggregate utilization of  $c$  miles, where  $c$  is between 41,000 and 75,000 miles (14-15,18,22).

Then, we relax our first assumption and instead estimate the associated abatement cost using our TCO model given average utilization and vehicle ownership trends (Equation 8.2). This enables a more accurate abatement cost estimate, as we now consider all costs realized owing to EV procurement.

$$AbateCost = \frac{TCOD(au=c)}{ED_{Total}(au=c)} \quad (8.2)$$

where  $AbateCost$  = abatement cost (\$/ton CO<sub>2</sub>e reduced);  $TCOD(au=c)$  = TCO difference (\$), estimated using Equations 5.0, 5.1, and 6.0, assuming an aggregate utilization of  $c$  miles; and  $ED_{Total}(au=c)$  = total lifecycle emissions difference (ICEV emissions – EV emissions) (ton CO<sub>2</sub>e), estimated using Equations 1.0 and 1.1, assuming an aggregate utilization of  $c$  miles. We again assume  $c$  to be between 41,000 and 75,000 miles based on existing public data (14-15,18,22).

Next, we estimate requisite emissions and TCO differences to achieve – given current policy and behavioral trends – abatement costs which are efficient compared to alternative policies, defined as an abatement cost of approximately \$50/ton CO<sub>2</sub>e reduced (21). To do so, we leverage two approaches. First, we estimate the requisite aggregate utilization threshold to achieve a TCO difference of \$7,500 and subsequently use the following equation to calculate the requisite emissions benefit to achieve our abatement cost target:

$$ED_{Req} = \frac{TCO(au=c)}{AbateCostTarg} \quad (8.3)$$

where  $ED_{Req}$  = requisite EV emissions advantage (ton CO<sub>2</sub>e);  $TCO(au=c)$  = TCO difference (\$), estimated using Equations 5.0, 5.1, and 6.0, given an aggregate utilization of  $c$  miles, where  $c$  is chosen such that the resultant TCO difference equals \$7,500; and  $AbateCostTarg$  = abatement cost target (\$/ton CO<sub>2</sub>e reduced).

Using our abatement cost target of \$50/ton CO<sub>2</sub>e reduced, the requisite EV emissions advantage exceeds the total emissions produced by the ICEV travelling  $c$  miles (estimated using Equations 1.0 and 2.0, see Section I). We subsequently estimate the maximum emissions benefit possible, assuming an EV without any lifecycle emissions, and use Equation 8.2 where  $ED_{Total}(au=c)$  is set to zero to estimate the most efficient possible abatement cost under this scenario.

Additionally, we estimate the total EV emissions advantage given current vehicle utilization trends using Equation 3.2, where aggregate utilization is assumed to be 75,000 miles. We then use Equation 8.4 to

calculate the requisite TCO differential for EV procurement policies to become economically efficient given the current estimated emissions EV advantage:

$$TCO_{Req} = ED_{Total}(au = 75,000) * AbateCostTarg \quad (8.4)$$

where  $TCO_{Req}$  = requisite TCO differential (\$);  $ED_{Total}(au=75,000)$  = total lifecycle emissions difference (ton CO<sub>2</sub>e), estimated using Equations 1.0 and 1.1, assuming an aggregate utilization of 75,000 miles; and  $AbateCostTarg$  = abatement cost target (\$/ton CO<sub>2</sub>e reduced).

To assess the feasibility of realizing our requisite TCO difference, we explore reductions in EVs' most elastic financial parameters (Section 2.1); namely, MSRP and annual insurance. Using Equations 5.0, 5.1, and 6.0, we calculate TCO differentials while manipulating annual insurance costs; however, even if EVs realized equivalent insurance costs as ICEVs, the associated TCO difference still exceeds the requisite threshold. Conversely, sufficient reductions in EV MSRP facilitate the necessary TCO difference (Section 3.3, Main Paper).

Finally, we quantify the impacts of potential changes to key aspects of our model on estimated abatement costs and requisite aggregate utilization thresholds. Specifically, we quantify the impacts of zero and one additional battery replacement, cleaner electricity grids, and greater ICEV fuel efficiency on our results. Our sensitivity analysis is presented in Tables 5.1 and 5.2.

**6-year ownership period**

<b>Abatement cost target (\$/ton CO<sub>2</sub>e reduced)</b>	<b>Aggregate utilization threshold (miles)</b>	<b>Total Abatement Cost (\$/vehicle)</b>	<b>Aggregate utilization threshold w/ extra battery replacement (miles)</b>	<b>Total Abatement Cost w/ extra battery replacement (\$/vehicle)</b>	<b>Aggregate utilization threshold w/ no battery replacements (miles)</b>	<b>Total Abatement Cost w/ no battery replacements (\$/vehicle)</b>	<b>Aggregate utilization threshold – improved ICEV fuel efficiency (miles)</b>	<b>Total Abatement Cost – improved ICEV fuel efficiency (\$/vehicle)</b>	<b>Aggregate utilization threshold – cleaner electric grid (miles)</b>	<b>Total Abatement Cost – cleaner electricity grid (\$/vehicle)</b>
50	244,437 (157,176)	2,158 (1,288)	407,240 (319,980)	3,570 (2,699)	244,437 (157,176)	2,158 (1,288)	348,441 (224,052)	3,196 (1,955)	232,481 (148,201)	2,910 (1,852)
100	218,372 (141,623)	3,797 (2,265)	364,130 (287,381)	6,280 (4,748)	218,372 (141,623)	3,797 (2,265)	296,109 (192,039)	5,348 (3,271)	199,400 (127,145)	4,989 (3,176)
150	197,912 (129,415)	5,083 (3,033)	330,290 (261,792)	8,407 (6,357)	197,912 (129,415)	5,083 (3,033)	258,473 (169,015)	6,895 (4,218)	174,580 (111,348)	6,549 (4,169)
200	181,424 (119,576)	6,119 (3,651)	303,019 (241,171)	10,121 (7,653)	181,424 (119,576)	6,119 (3,651)	230,105 (151,662)	8,062 (4,932)	155,271 (99,058)	7,763 (4,941)
250	167,855 (111,479)	6,972 (4,160)	280,575 (224,200)	11,532 (8,720)	167,855 (111,479)	6,972 (4,160)	207,957 (138,113)	8,972 (5,489)	139,820 (89,224)	8,734 (5,559)
300	156,491 (104,699)	7,686 (4,586)	261,780 (209,987)	12,713 (9,613)	156,491 (104,699)	7,686 (4,586)	190,185 (127,241)	9,703 (5,936)	127,177 (81,177)	9,529 (6,065)
350	146,836 (98,938)	8,293 (4,949)	245,811 (197,912)	13,717 (10,372)	146,836 (98,938)	8,293 (4,949)	175,608 (118,324)	10,302 (6,302)	116,639 (74,470)	10,191 (6,487)
400	138,532	8,815	232,075	14,580	138,532	8,815	163,437	10,803	107,722	10,752

	(93,982)	(5,260)	(187,526)	(11,025)	(93,982)	(5,260)	(110,879)	(6,608)	(68,794)	(6,843)
450	131,312 (89,674)	9,269 (5,531)	220,135 (178,497)	15,331 (11,593)	131,312 (89,674)	9,269 (5,531)	153,121 (104,568)	11,227 (6,868)	100,077 (63,929)	11,232 (7,149)
500	124,979 (85,895)	9,667 (5,768)	209,659 (170,576)	15,989 (12,091)	124,979 (85,895)	9,667 (5,768)	144,266 (99,151)	11,591 (7,091)	93,451 (59,711)	11,649 (7,414)

Note: The top line of each cell denotes an estimate assuming the EV and ICEV have no resale value at the end of the initial ownership period, a potential consequence of both vehicles' high aggregate utilization. The bottom line relaxes this assumption and includes resale value as a function of ownership duration. We present results for a 6-year ownership duration, which represents the duration of vehicles' average first ownership period (15). To assess the impacts of improved ICEV fuel efficiency, we assume an ICEV with 48 MPG, which approximates the projected 2026 Corporate Average Fuel Economy (CAFE) standard for passenger cars and light trucks (23). We also analyze the effects of a less carbon-intense electric grid, which we assume improves emissions associated with both EV vehicle manufacturing and fuel production by 40%.

**Table 5.1: Sensitivity Analysis – Abatement Cost (6 years)**

**12-year ownership period**

<b>Abatement cost target (\$/ton CO<sub>2</sub>e reduced)</b>	<b>Aggregate utilization threshold (miles)</b>	<b>Total Abatement Cost (\$/vehicle)</b>	<b>Aggregate utilization threshold w/ extra battery replacement (miles)</b>	<b>Total Abatement Cost w/ extra battery replacement (\$/vehicle)</b>	<b>Aggregate utilization threshold w/ no battery replacements (miles)</b>	<b>Total Abatement Cost w/ no battery replacements (\$/vehicle)</b>	<b>Aggregate utilization threshold – improved ICEV fuel efficiency (miles)</b>	<b>Total Abatement Cost – improved ICEV fuel efficiency (\$/vehicle)</b>	<b>Aggregate utilization threshold – cleaner electric grid (miles)</b>	<b>Total Abatement Cost – cleaner electricity grid (\$/vehicle)</b>
50	513,944 (464,012)	4,634 (4,136)	560,234 <sup>+</sup> (560,233) <sup>+</sup>	2,210 (-903)	323,756 (273,826)	2,950 (2,452)	560,234 <sup>+</sup> (560,233) <sup>+</sup>	712 (9,244)	489,367 (441,416)	5,921 (5,320)
100	449,865 (406,821)	7,990 (7,131)	560,233 <sup>+</sup> (560,232) <sup>+</sup>	13,855 (10,742)	282,972 (239,929)	5,086 (4,227)	560,233 <sup>+</sup> (542,751)	12,357 (9,843)	412,934 (372,752)	9,924 (8,916)
150	401,321 (363,494)	10,533 (9,401)	550,566 (512,739)	14,361 (13,299)	252,075 (214,249)	6,704 (5,572)	514,573 (466,071)	13,922 (12,470)	357,814 (323,233)	12,811 (11,509)
200	363,272 (329,535)	12,525 (11,179)	498,686 (464,949)	17,078 (15,732)	227,859 (194,121)	7,972 (6,626)	451,998 (410,020)	16,065 (14,390)	316,182 (285,833)	14,991 (13,468)
250	332,648 (302,202)	14,129 (12,610)	456,929 (426,483)	19,265 (17,747)	208,367 (177,921)	8,993 (7,474)	404,261 (367,260)	17,701 (15,855)	283,627 (256,587)	16,696 (14,999)
300	307,468 (279,728)	15,448 (13,787)	422,595 (394,856)	21,063 (19,403)	192,340 (164,601)	9,832 (8,172)	366,644 (333,565)	18,990 (17,010)	257,473 (233,091)	18,066 (16,230)
350	286,399 (260,923)	16,551 (14,772)	393,867 (368,392)	22,568 (20,789)	178,931 (153,455)	10,534 (8,755)	336,237 (306,329)	20,031 (17,943)	236,001 (213,801)	19,191 (17,240)
400	268,510 (244,957)	17,488 (15,608)	369,475 (345,923)	23,845 (21,966)	167,545 (143,992)	11,131 (9,251)	311,149 (283,856)	20,891 (18,713)	218,057 (197,680)	20,130 (18,084)

450	253,132 (231,232)	18,293 (16,327)	348,507 (326,607)	24,943 (22,977)	157,757 (135,857)	11,643 (9,677)	290,096 (264,998)	21,612 (19,359)	202,837 (184,007)	20,927 (18,800)
500	239,771 (219,307)	18,993 (16,952)	330,288 (309,824)	25,898 (23,856)	149,253 (128,789)	12,089 (10,047)	272,177 (248,948)	22,226 (19,909)	189,765 (172,264)	21,612 (19,415)

Note: + denotes aggregate utilization thresholds which – owing to the discrete nature of our battery replacement model – exact abatement cost targets cannot be met. In these scenarios, we instead present the requisite thresholds associated with the nearest possible abatement cost target. The top line of each cell denotes an estimate assuming the EV and ICEV have no resale value at the end of the initial ownership period, a potential consequence of both vehicles' high aggregate utilization. The bottom line relaxes this assumption and includes resale value as a function of ownership duration. We present results for a 12-year ownership duration, which represents the average age of vehicles in the United States vehicle fleet (15,17). To assess the impacts of improved ICEV fuel efficiency, we assume an ICEV with 48 MPG, which approximates the projected 2026 Corporate Average Fuel Economy (CAFE) standard for passenger cars and light trucks (23). We also analyze the effects of a less carbon-intense electric grid, which we assume improves emissions associated with both EV vehicle manufacturing and fuel production by 40%.

**Table 5.2: Sensitivity Analysis – Abatement Cost (12 years)**



## References

1. MIT Energy Initiative. *Insights into Future Mobility*. MIT Energy Initiative, Nov. 2019, <http://energy.mit.edu/insightsintofuturemobility>.
2. Nunes, Ashley, Lucas Woodley, and Philip Rossetti. "Re-thinking procurement incentives for electric vehicles to achieve net-zero emissions." *Nature Sustainability* (2022): 1-6.
3. Klemola, Kimmo. "Life-Cycle Impacts of Tesla Model S 85 and Volkswagen Passat". *Life-Cycle Impacts of Tesla Model S 85 and Volkswagen Passat*, 2016, [www.kimmoklemola.fi/data/documents/SF-comparison-USA-20160110.pdf](http://www.kimmoklemola.fi/data/documents/SF-comparison-USA-20160110.pdf).
4. "Frequently Asked Questions." *Fueleconomy.gov*, United States Environmental Protection Agency, [www.fueleconomy.gov/feg/info.shtml#sizeclasses](http://www.fueleconomy.gov/feg/info.shtml#sizeclasses).
5. "Compare Cars Side-by-Side - Car Comparison Tool." *Edmunds*, <https://www.edmunds.com/car-comparisons/>.
6. "15 Best-Selling Cars, Trucks, and Suvs of 2018." *MotorTrend*, 7 Jan. 2019, <https://www.motortrend.com/features/15-best-selling-cars-trucks-suvs-2018/>.
7. Capparella, Joey. "The 25 Best-Selling Cars, Trucks, and Suvs of 2018." *Car and Driver*, 13 Jan. 2021, <https://www.caranddriver.com/news/g25558401/best-selling-cars-suv-trucks-2018/?slide=26>.
8. "Alternative Fuel and Advanced Vehicle Search." *Alternative Fuels Data Center: Vehicle Search*, United States Department of Energy, 2022, <https://afdc.energy.gov/vehicles/search/>.
9. Muehlegger, Erich J., and David S. Rapson. "Correcting estimates of electric vehicle emissions abatement: Implications for climate policy." *Journal of the Association of Environmental and Resource Economists* 10.1 (2023): 263-282.10.
10. Bonges III, Henry A., and Anne C. Lusk. "Addressing electric vehicle (EV) sales and range anxiety through parking layout, policy and regulation." *Transportation Research Part A: Policy and Practice* 83 (2016): 63-73.
11. Neubauer, Jeremy, and Eric Wood. "The impact of range anxiety and home, workplace, and public charging infrastructure on simulated battery electric vehicle lifetime utility." *Journal of power sources* 257 (2014): 12-20.
12. De Gennaro, Michele, et al. "A case study to predict the capacity fade of the battery of electrified vehicles in real-world use conditions." *Case Studies on Transport Policy* 8.2 (2020): 517-534.
13. Roberts, David. "The Many Varieties of Lithium-Ion Batteries Battling for Market Share." *Canary Media*, 21 Apr. 2021, <https://www.canarymedia.com/articles/batteries/the-many-varieties-of-lithium-ion-batteries-battling-for-market-share>.

14. Mitropoulos, Lambros K., Panos D. Prevedouros, and Pantelis Kopelias. "Total cost of ownership and externalities of conventional, hybrid and electric vehicle." *Transportation research procedia* 24 (2017): 267-274.
15. "Vehicles Getting Older: Average Age of Light Cars and Trucks in U.S. Rises Again in 2016 to 11.6 Years, IHS Markit Says." *News Release | IHS Markit Online Newsroom*, 22 Nov. 2016, [news.ihs.com/prviewer/release\\_only/slug/automotive-vehicles-getting-older-average-age-light-cars-and-trucks-us-rises-again-2016](https://www.ihs.com/newsroom/news-releases/2016/11/22/vehicles-getting-older-average-age-light-cars-and-trucks-us-rises-again-2016).
16. Breetz, Hanna L., and Deborah Salon. "Do electric vehicles need subsidies? Ownership costs for conventional, hybrid, and electric vehicles in 14 US cities." *Energy Policy* 120 (2018): 238-249.
17. "Average Age of Automobiles and Trucks in Operation in the United States." *Average Age of Automobiles and Trucks in Operation in the United States | Bureau of Transportation Statistics*, Bureau of Transportation Statistics, 2020, <https://www.bts.gov/content/average-age-automobiles-and-trucks-operation-united-states>.
18. Burlig, Fiona, et al. "Low energy: Estimating electric vehicle electricity use." *AEA Papers and Proceedings*. Vol. 111. 2021.
19. Nunes, Ashley, and Kristen D. Hernandez. "Autonomous taxis & public health: High cost or high opportunity cost?." *Transportation Research Part A: Policy and Practice* 138 (2020): 28-36.
20. Creti, Anna, et al. *A cost benefit analysis of fuel cell electric vehicles*. Diss. -, 2015.
21. Gillingham, Kenneth, and James H. Stock. "The cost of reducing greenhouse gas emissions." *Journal of Economic Perspectives* 32.4 (2018): 53-72.
22. Davis, Lucas W. "How much are electric vehicles driven?." *Applied economics letters* 26.18 (2019): 1497-1502.
23. "Corporate Average Fuel Economy Standards for Model Years 2024-2026 Passenger Cars and Light Trucks." *Federal Register*, 3 Sept. 2021, <https://www.federalregister.gov/documents/2021/09/03/2021-17496/corporate-average-fuel-economy-standards-for-model-years-2024-2026-passenger-cars-and-light-trucks>.