### Discrete choice with extreme-value taste shocks

NBER Heterogeneous-Agent Macro Workshop

Bence Bardoczy<sup>a</sup>

Spring 2022

 $<sup>^</sup>a$ The views expressed are my own and do not necessarily reflect those of the Board of Governors of the Federal Reserve System.

# **Today**

- So far: agents are hit by discrete shocks and make continuous choices.
  - savings, consumption, hours...
- Many interesting economic decisions are discrete.
  - labor force participation, occupation choice
  - lumpy adjustment with fixed costs (price, investment, portfolio...)
- **This class**: one approach to discrete choice that's fairly general and fits naturally into the SSJ framework.
  - · focus on method, not economic content

# Why is discrete choice hard?

- Only discrete choice would be easy.
  - · value function iteration works well
- Interaction between discrete and continuous choices is the hard part.
- **Non-convexity**: FOCs are insufficient to obtain policy functions.
  - EGM does not work, more robust backward iteration is needed
  - solution: **EGM + upper envelope** (Fella, 2014; Druedahl, 2020)
- **Discontinuities** in policy functions.
  - fake news algorithm relies on differentiating policies wrt aggregate inputs
  - solution: logit smoothing (Iskhakov et al., 2017)
  - ightarrow common in microeconometrics, also useful for Jacobian computation!

# Roadmap

- 1. SIM model with labor force participation
- 2. Solving the SIM model with participation
- 3. General HA framework with stages
- 4. Jacobians for discrete choices

# SIM with labor force participation

# SIM model with labor force participation

· Work full time or not at all. Disutility of full-time work is

$$\begin{aligned} V_t(z_{it}, a_{it-1}) &= \max_{c_{it}, n_{it}, a_{it}} u(c_{it}) - \varphi n_{it} + \beta \mathbb{E}_t V_{t+1}(z_{it+1}, a_{it}) \\ \text{s.t. } c_{it} + a_{it} &= (1 + r_t) a_{it-1} + w_t n_{it} z_{it} + T_t \\ &\quad n_{it} \in \{0, 1\} \\ &\quad a_{it} \geq \underline{a} \end{aligned}$$

- Nests SIM for  $\varphi = 0$ .
- Solving the model means characterizing
  - 1. policy functions:
  - 2. distribution:
  - 3. aggregate outputs:

$$a_t(z, a_-), c_t(z, a_-), n_t(z, a_-)$$

$$D_t(z,a_-)$$

$$A = \int a_t dD_t, \quad C_t = \int c_t dD_t, \quad N_t = \int n_t dD_t$$

#### **Peek at solution**




Figure 1: Policy functions conditional on average productivity

#### **Economics of the model**

- · Rich and unproductive households choose not to work.
- Non-participant households run down assets aggressively to finance consumption.
- Consumption and asset policies are non-monotonic in assets and—absent of taste shocks—have discontinuities.
  - · primary discontinuity from change in participation
  - · secondary discontinuities from consumption smoothing in discrete time
  - intuition: a = 1.9 expects to hit participation threshold in 1 period, while a = 2 expects it in 2 periods  $\longrightarrow a = 2$  consumes less and saves more today

Solving the SIM model with

participation

#### **Stages**

- We break up the decision problem into several **stages**.
- Think of each stage as updating a single state variable.
- Stages are a useful concept to describe models with complex timing. They're also the key abstraction behind implementation of discrete choice in SSJ.
  - StageBlock in tutorial

# Break up problem into stages

- Stage 0: enter period t.
- Stage 1: productivity shock
- Stage 2: participation choice
- Stage 3: consumption-saving choice

$$(z_{it-1}, a_{it-1})$$

$$z_{it-1} \rightarrow z_{it}$$

$$\{\} \rightarrow n_{it}$$

$$a_{it-1} \rightarrow a_{it}, c_{it}$$

# Stage 3: continuous choice

Stage 3 looks like vanilla SIM model with extra state n

$$V^{(3)}(n, z, a_{-}) = \max_{c, a \ge \underline{a}} u(c) - \varphi n + \beta \mathbb{E} V^{(1)}(z', a)$$
s.t.  $c + a = (1 + r)a_{-} + wnz + T$  (1)

- Characterizes **discrete choice-specific** policies  $a(n, z, a_{-}), c(n, z, a_{-})$ .
- Can we get these via endogenous gridpoint method?


# Stage 3: continuous choice

Stage 3 looks like vanilla SIM model with extra state n

$$V^{(3)}(n, z, a_{-}) = \max_{c, a \geq \underline{a}} u(c) - \varphi n + \beta \mathbb{E} V^{(1)}(z', a)$$
s.t.  $c + a = (1 + r)a_{-} + wnz + T$  (1)

- Characterizes **discrete choice-specific** policies  $a(n, z, a_-), c(n, z, a_-)$ .
- · Can we get these via endogenous gridpoint method?
- **No!** Catch is that  $V^{(1)}$  is not concave, so  $V_a^{(1)}$  is not monotonic.

# EGM + upper envelope




• Try EGM with non-monotonic  $V_a^{(1)}$ .

• 
$$c_{endo}^{-\sigma} = \beta V_a^{(1)}$$
 (Euler)

• 
$$c_{endo} + a_{grid} = (1 + r)a_{endo} + y$$
 (budget)

•  $a_{endo}(a)$  may be non-monotonic as well.

# EGM + upper envelope



- Try EGM with non-monotonic  $V_a^{(1)}$ .
  - $c_{endo}^{-\sigma} = \beta V_a^{(1)}$  (Euler)
  - $c_{endo} + a_{grid} = (1+r)a_{endo} + y$  (budget)
- $a_{endo}(a)$  may be non-monotonic as well.

- Can't invert a<sub>endo</sub>(a) to get policy function. Both ● solve FOCs.
- **Upper envelope**: compute  $V^{(3)}$  at both solutions and choose max.
  - implementation details in tutorial

# Stage 2: discrete choice

• Stage 2 is a pure discrete choice problem

$$V^{(2)}(z, a_{-}) = \max_{n \in \{0,1\}} V^{(3)}(n, z, a_{-}) + \underbrace{\varepsilon(n)}_{\text{taste shock}}$$
 (2)

# **Stage 2: discrete choice**

• Stage 2 is a pure discrete choice problem

$$V^{(2)}(z, a_{-}) = \max_{n \in \{0, 1\}} V^{(3)}(n, z, a_{-}) + \underbrace{\varepsilon(n)}_{\text{taste shock}}$$
 (2)

- **Analytical solution** if taste shock is iid EV-1 with scale  $\sigma$ .
  - · logit choice probability:

$$P(n|z,a_{-}) = \exp\left(\frac{V^{(3)}(n,z,a_{-})}{\sigma}\right) / \sum_{n' \in \{0,1\}} \exp\left(\frac{V^{(3)}(n',z,a_{-})}{\sigma}\right)$$
(3)

· logsum formula:

$$V^{(2)}(z, a_{-}) = \sigma \log \left( \sum_{n' \in \{0, 1\}} \exp \left( \frac{V^{(3)}(n', z, a_{-})}{\sigma} \right) \right)$$
 (4)

# Stage 1: discrete shock

• Stage 1: productivity shock follows exogenous Markov process

$$V^{(1)}(z_-, a_-) = \sum_{z} \Pr(z|z_-) \cdot V^{(2)}(z, a_-)$$
 (5)

# Stage 1: discrete shock

• Stage 1: productivity shock follows exogenous Markov process

$$V^{(1)}(z_-, a_-) = \sum_{z} \Pr(z|z_-) \cdot V^{(2)}(z, a_-)$$
 (5)

• The circle is complete. Start from an initial guess  $V_T^{(1)}$  and iterate backward stage-by-stage until convergence

$$V_{t+1}^{(1)} \to V_t^{(3)} \to V_t^{(2)} \to V_t^{(1)}$$
 (6)



#### Warmup

- Consider a 2-state **Markov process** of employment & unemployment.
  - flow utility  $\mathbf{u}_t = [u_t^{\it E}, u_t^{\it U}],$  value function  $\mathbf{v}_t = [\mathbf{v}_t^{\it E}, \mathbf{v}_t^{\it U}]$
  - distribution is  $\mathbf{D}_t = [D_t^E, D_t^U]$
  - transition probabilities are  $f_t$  and  $s_t$

#### Warmup

- Consider a 2-state Markov process of employment & unemployment.
  - flow utility  $\mathbf{u}_t = [u_t^{\text{E}}, u_t^{\text{U}}]$ , value function  $\mathbf{v}_t = [\mathbf{v}_t^{\text{E}}, \mathbf{v}_t^{\text{U}}]$
  - distribution is  $\mathbf{D}_t = [D_t^E, D_t^U]$
  - transition probabilities are  $f_t$  and  $s_t$
- Backward iteration for v<sub>t</sub>?

$$\begin{bmatrix} \mathbf{v}_t^E \\ \mathbf{v}_t^U \end{bmatrix} = \begin{bmatrix} \mathbf{u}_t^E \\ \mathbf{u}_t^U \end{bmatrix} + \beta \underbrace{\begin{bmatrix} 1 - \mathbf{s}_t & \mathbf{s}_t \\ f_t & 1 - f_t \end{bmatrix}}_{\Lambda} \begin{bmatrix} \mathbf{v}_{t+1}^E \\ \mathbf{v}_{t+1}^U \end{bmatrix}$$
 (Bellman equation)

• Forward iteration for  $D_{t+1}$ ?

#### Warmup

- Consider a 2-state Markov process of employment & unemployment.
  - flow utility  $\mathbf{u}_t = [u_t^{\text{E}}, u_t^{\text{U}}]$ , value function  $\mathbf{v}_t = [\mathbf{v}_t^{\text{E}}, \mathbf{v}_t^{\text{U}}]$
  - distribution is  $\mathbf{D}_t = [D_t^E, D_t^U]$
  - transition probabilities are  $f_t$  and  $s_t$
- Backward iteration for v<sub>t</sub>?

$$\begin{bmatrix} \mathbf{v}_t^E \\ \mathbf{v}_t^U \end{bmatrix} = \begin{bmatrix} \mathbf{u}_t^E \\ \mathbf{u}_t^U \end{bmatrix} + \beta \underbrace{\begin{bmatrix} 1 - \mathbf{s}_t & \mathbf{s}_t \\ f_t & 1 - f_t \end{bmatrix}}_{\Lambda} \begin{bmatrix} \mathbf{v}_{t+1}^E \\ \mathbf{v}_{t+1}^U \end{bmatrix}$$
 (Bellman equation)

• Forward iteration for  $D_{t+1}$ ?

$$\begin{bmatrix} D_{t+1}^{E} \\ D_{t+1}^{U} \end{bmatrix} = \underbrace{\begin{bmatrix} 1 - s_t & f_t \\ f_t & 1 - f_t \end{bmatrix}}_{\Lambda'} \begin{bmatrix} D_t^{E} \\ D_t^{U} \end{bmatrix}$$
 (law of motion)

# General HA problem without stages

- Consider HA problem with aggregate inputs  $\boldsymbol{X}_t$ .

$$\mathbf{v}_t = v(\mathbf{v}_{t+1}, \mathbf{X}_t)$$
 (Bellman equation)  $\mathbf{D}_{t+1} = D(\mathbf{v}_{t+1}, \mathbf{D}_t, \mathbf{X}_t)$  (law of motion)

# General HA problem without stages

• Consider HA problem with aggregate inputs  $\mathbf{X}_t$ .

$$\mathbf{v}_t = v(\mathbf{v}_{t+1}, \mathbf{X}_t)$$
 (Bellman equation)  $\mathbf{D}_{t+1} = D(\mathbf{v}_{t+1}, \mathbf{D}_t, \mathbf{X}_t)$  (law of motion)

- This is a Markov process, just more complex.
- Suppose the state space is discretized on *N* gridpoints.
  - · flow utility, value function, distribution are vectors:
  - Markov matrix of joint state:

$$\mathbf{v}_t = \mathbf{u}_t + \beta \Lambda(\mathbf{v}_{t+1}, \mathbf{X}_t) \mathbf{v}_{t+1}$$
 (Bellman equation)  $\mathbf{D}_{t+1} = \Lambda(\mathbf{v}_{t+1}, \mathbf{X}_t)' \mathbf{D}_t$  (law of motion)

 $\mathbf{u}, \mathbf{v}, \mathbf{D} \in \mathbb{R}^N$   $\mathbf{\Lambda} \in \mathbb{R}^{N \times N}$ 

# Solving HA models in discrete vs continuous time

Achdou et al. (2021) claim 4 advantages for continuous time.

1. FOCs are sufficient almost everywhere<sup>1</sup>

constraints easier, no secondary kinks

2. FOCs are static

no costly root finding "solve policies get distribution for free"

3. HJB and KFE are adjoint operators

Markov matrix of joint states is block tridiagona

4. sparsity

Markov matrix of joint states is block tridiagonal

What do you say?

<sup>&</sup>lt;sup>1</sup>except at boundaries and primary kinks

# Solving HA models in discrete vs continuous time

Achdou et al. (2021) claim 4 advantages for continuous time.

FOCs are sufficient almost everywhere<sup>1</sup> constraints easier, no secondary kinks
 FOCs are static no costly root finding

3. HJB and KFE are adjoint operators "solve policies get distribution for free"

4. sparsity Markov matrix of joint states is block tridiagonal

- What do you say?
  - 1. helps in models with  $\geq$  2 endogenous states or discrete choices
  - 2. EGM avoids root finding but requires interpolation
  - 3. general property of Markov processes
  - 4. claim: we can exploit sparsity better in discrete time

<sup>&</sup>lt;sup>1</sup>except at boundaries and primary kinks

# General HA problem with stages

- Let there be j = 1, ..., J stages.
  - discrete shock, discrete choice, continuous choice (1-2 states)
- Same logic of backward and forward iteration applies between stages.

$$\mathbf{v}_{t,j} = \Lambda_j(\mathbf{v}_{t,j+1}, \mathbf{X}_{t,j})\mathbf{v}_{t,j+1}$$
 (Bellman equation) 
$$\mathbf{D}_{t,j+1} = \Lambda_j(\mathbf{v}_{t,j+1}, \mathbf{X}_{t,j})'\mathbf{D}_{t,j}$$
 (law of motion)

# General HA problem with stages

- Let there be j = 1, ..., J stages.
  - discrete shock, discrete choice, continuous choice (1-2 states)
- Same logic of backward and forward iteration applies between stages.

$$\begin{split} \boldsymbol{v}_t &= \left( \Lambda_1 \cdot \Lambda_2 \cdots \Lambda_J \right) \boldsymbol{v}_{t+1} \\ \boldsymbol{D}_{t+1} &= \left( \Lambda_j' \cdot \Lambda_{J-1}' \cdots \Lambda_1' \right) \boldsymbol{D}_t \end{split} \tag{Bellman equation}$$

- Key insight: Stage-specific Markov matrices are sparser than their product.
- Optimize sparse "matrix multiplication" operation for each type of stage.
- Today = tomorrow property of ctime has costs as well as benefits.
  - static FOCs that are sufficient almost everywhere, but can't divide problem into stages

# **Taking stock**

- Stage is a useful abstraction for both intuition & computation.
- If you can write backward iteration for a stage...
  - · chain arbitrary many stages together to elegantly represent complex models
  - · forward iteration is just the transpose operation
- You can solve cutting edge models in discrete as well as in continuous time.
- Next: last piece of sequence-space **Jacobian** machinery.



#### **Brief overview**

- Fake news algorithm applies directly to discrete shock and cont choice stages.
- What about discrete choice stage?
- Main reason for working with EV-1 taste shocks: Choice probability and value function are smooth with closed-form derivatives.

#### **Discrete choice derivatives**

- Simplified notation:  $V'_i$  is vfun in next stage conditional on discrete choice i.
- · Recall logsum and logit formulae:

$$V = \sigma \log \left( \sum_{i} \exp(V'_i/\sigma) \right)$$
 and  $P_i = \frac{\exp(V'_i/\sigma)}{\sum_{k} \exp(V'_k/\sigma)}$ 

#### **Discrete choice derivatives**

- Simplified notation:  $V'_i$  is vfun in next stage conditional on discrete choice i.
- Recall logsum and logit formulae:

$$V = \sigma \log \left( \sum_{i} \exp \left( V_{i}' / \sigma \right) \right)$$
 and  $P_{i} = \frac{\exp \left( V_{i}' / \sigma \right)}{\sum_{k} \exp \left( V_{k}' / \sigma \right)}$ 

· Few lines of algebra yields

$$dV = \sum_{i} P_{i} dV'_{i}$$
 and  $dP_{i} = \frac{P_{i} (dV'_{i} - dV)}{\sigma}$ 

- Takeaway: propagating small shocks backward pprox expectations with ss probabilities



**Conclusion** 

#### Conclusion

- Discrete choice itself is easy (choose best of a few alternatives) but causes **non-convexity** that complicates continuous choices.
  - · FOCs necessary but not sufficient even in interior
  - · "secondary kinks" arise in discrete time
- **EGM + upper envelope**: choose best of few alternatives that satisfy FOCs.
  - · have to keep track of vfun & partial vfun
- EV-1 taste shocks facilitate differentiation at almost no cost.
- Intuitive concepts that improve computation: **DAG**, **stage**.
  - stage only makes sense in discrete time



#### References i

#### References

- Achdou, Yves, Jiequn Han, Jean-Michel Lasry, Pierre-Louis Lions, and Benjamin Moll, "Income and Wealth Distribution in Macroeconomics: A Continuous-Time Approach," *The Review of Economic Studies*, 04 2021, 89 (1), 45–86.
- **Druedahl, Jeppe**, "A Guide On Solving Non-Convex Consumption-Saving Models," *Computational Economics*, 2020, pp. 1–29.
- **Fella, Giulio**, "A Generalized Endogenous Grid Method for Non-Smooth and Non-Concave Problems," *Review of Economic Dynamics*, 2014, 17 (2), 329–344.
- Iskhakov, Fedor, Thomas H Jørgensen, John Rust, and Bertel Schjerning, "The Endogenous Grid Method for Discrete-Continuous Dynamic Choice Models with (or without) Taste Shocks," *Quantitative Economics*, 2017, 8 (2), 317–365.